

# 5

## ERROR MESSAGES

TROUBLESHOOTING.....	2
IRF-PAI FILE SUBMISSION ERROR MESSAGES.....	3
IRF-PAI FILE PROCESSING ERROR MESSAGES .....	3

---

## TROUBLESHOOTING

When possible, you should attempt to determine the nature or source of the problem you are experiencing so that you can contact the appropriate person for assistance. It may be helpful to write a detailed description of the problem, regardless of whether you are sending an email or calling for assistance.

Should a problem arise, you should initially review the troubleshooting information in the following:

- This section, *Error Messages*, of the IRF-PAI Submission User's Guide for the QIES ASAP System,
- Online Windows or Internet Explorer Help, or
- The software and hardware manuals provided by your vendors.

For hardware/equipment problems you are unable to resolve, contact either the vendor from whom the hardware component was purchased or the manufacturer.

Example(s): The computer will not boot or the modem does not respond.

For software problems, given the variety of software you are using, it may be difficult to determine the source. If you can determine the source, you should seek assistance as follows:

- For assistance with the QIES ASAP system, contact the QTSO Help Desk via phone at 1-800-339-9313 or e-mail at [help@qtso.com](mailto:help@qtso.com).

Example: Waited over an hour after selecting the **Upload** button for the message confirming a successful submission.

- If the problem appears to be with Windows or Internet Explorer, contact either the vendor or manufacturer of the software.

Example: An error message appears that doesn't have any corresponding explanation in the manual or guide for the IRF-PAI System or your vendor encoding software.

- If the problem appears to be with the IRF-PAI encoding software, you should contact your encoding software vendor.

Example: File submission is repeatedly rejected.

---

## IRF-PAI FILE SUBMISSION ERROR MESSAGES

During the file submission process, the online IRF-PAI File Submission system displays a limited number of error messages. IRF-PAI File Submission system online errors are detailed in Section 3, *Functionality*, of this user's guide.

Additionally, you may experience error messages, warnings, or failures from other software or hardware components used in association with the QIES ASAP system. For those situations you should refer to the appropriate vendor-provided manuals.

---

## IRF-PAI FILE PROCESSING ERROR MESSAGES

Within 24 hours of the successful submission of a file, the IRF-PAI File Submission system processes the file and automatically produces an IRF-PAI Facility Final Validation Report detailing the errors, if any, that were encountered in the submitted records. This IRF-PAI Facility Final Validation Report is available to you in the CASPER Reporting application.

Processing errors range in severity from ones that render the file unable to be processed, to ones that prevent a specific record from being processed, to others that are simply warnings or informational. The processing of a file or record ceases immediately if any of the following errors are encountered:

- Invalid Zip file format
- Invalid XML file format
- Provider authorization conflicts (user doesn't have authority to submit for facility in record; Facility ID is null or an invalid value)
- Missing or invalid Assessment System Code
- Missing or invalid Transaction Type Code
- Missing or invalid Discharge Date
- Duplicate record
- No matching record – unable to locate the active record to be corrected or inactivated
- Record submitted with a target date (Discharge Date (40)) prior to the implementation date of IRF-PAI processing, 01/01/2002
- Submitted correction or inactivation record with a correction number that is not the next incremented number from the current record in the QIES ASAP database

Many other conditions exist that prevent a record from being considered a successful submission. The IRF-PAI Facility Final Validation Report identifies the errors, whether fatal or simply warning, that were encountered in the submitted records. Each error is noted on the report by its numeric identifier and severity (FATAL or WARNING). The report also includes a brief description of the error and notes the submitted item values that triggered the error.

**NOTE:** Corporate users and third-party vendors submitting files for multiple providers can expect one IRF-PAI Facility Final Validation Report for each provider for which records were submitted in a file.

Certain severe errors in the submitted file or one of its records prevent the system from creating and placing the automatically-generated IRF-PAI Facility Final Validation Report in the provider's Validation Report (VR) folder. You may review these errors by requesting the IRF-PAI Submitter Final Validation Report in the CASPER Reporting application.

**NOTE:** The IRF-PAI Submitter Final Validation Report must be requested by the person (UserID) who submitted the file.

All fatal errors in a file or record must be corrected and the file or record resubmitted.

The remainder of this section of the guide lists the errors/warnings in order by identifier, providing a description of the error condition and guidance for correcting the error, if necessary.

Error ID	Sev	Error Message	Error Description
-901	Fatal	Invalid Zip File: Unable to process the submitted file.	<p><b>Potential Causes:</b></p> <ul style="list-style-type: none"> <li>• The submitted file is not formatted properly. The contents of the file could not be extracted.</li> <li>• The submitted file is not a .zip file.</li> <li>• The submitted .zip file is not compressed.</li> <li>• The submitted file is a .zipx file.</li> <li>• The submitted file is empty.</li> <li>• The submitted file is encrypted.</li> </ul> <p><b>Tips:</b>  The submitted file must be a properly formatted .zip file. No other compression format, such as .zipx, is valid.  The .zip file should not contain subfolders.  The name of the .zip file must not exceed 260 characters, including the extension (.zip).  The name of each XML file included in the .zip file must not exceed 200 characters, including the extension.  The name of an XML file must not include special characters.</p> <p><b>Action:</b>  Contact your software vendor.  Refer your vendor to the data specifications for file submission requirements.  Recreate and/or rename the .zip file and resubmit.</p>
-902	Fatal	Invalid XML File: The submitted file does not have a valid XML file name extension.	<p><b>Cause:</b>  Each IRF-PAI record submitted to the QIES ASAP system must be a properly formatted XML file.</p> <p><b>Tips:</b>  The name of an XML file must not exceed 200 characters, including the extension (.xml).</p> <p><b>Action:</b>  Contact your software vendor.  Refer your vendor to the data specifications for file submission requirements.  Recreate and/or rename the .xml file and resubmit.</p>
-903	Fatal	Required Item Missing or Invalid: Based on the IRF-PAI Data Specifications in effect on the discharge date of this record, this item is required to be submitted.	<p><b>Potential Causes:</b></p> <ul style="list-style-type: none"> <li>• A valid value was not submitted for this item. Based upon the IRF-PAI Data Specifications in effect for this record, this item is required.</li> <li>• The length of the value submitted for this item exceeds the maximum length allowed.</li> </ul> <p><b>Action:</b>  Make appropriate corrections to the record and resubmit.</p>

Error ID	Sev	Error Message	Error Description
-904	Fatal	Invalid XML File Format: The submitted file is not structured properly or contains tags longer than 30 characters and cannot be processed.	<p><b>Cause:</b> The submitted record is not a properly structured XML file and cannot be processed.</p> <p><b>Tips:</b> Beginning and ending tags must enclose the entire assessment record. Beginning and ending tags must enclose each item of the assessment record. Tags must not exceed 30 characters.</p> <p><b>Action:</b> Contact your software vendor. Make appropriate corrections to the record and resubmit.</p>
-905	Fatal	Invalid Target Date: Unable to calculate the target date due to a missing or invalid required field.	<p><b>Cause:</b> The QIES ASAP System is unable to calculate the target date of this record because the submitted Discharge Date (40) value is missing or invalid.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-906	Fatal	No Match Found: No existing record was found in the QIES ASAP database for the submitted modification/inactivation record.	<p><b>Cause:</b> The values submitted in this modification or inactivation record do not match the values submitted in a previously accepted record in the QIES ASAP System.</p> <p><b>Tip:</b> To identify the record requiring modification or inactivation, the following items must match the corresponding items of a previously accepted record:</p> <ul style="list-style-type: none"> <li>o Patient First Name (4)</li> <li>o Patient Last Name (5A)</li> <li>o Birth Date (6)</li> <li>o Social Security Number (7)</li> <li>o Gender (8)</li> <li>o Discharge Date (40)</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-907	Fatal	Duplicate Assessment: The submitted record is a duplicate of a previously accepted record.	<p><b>Cause:</b> The submitted record is a duplicate of a previously accepted record for this patient, or the admission and/or discharge date of this record overlaps a previously accepted record.</p> <p><b>Tip:</b> Duplicate records match on the following items:</p> <ul style="list-style-type: none"> <li>o Patient First Name (4)</li> <li>o Patient Last Name (5A)</li> <li>o Birth Date (6)</li> <li>o Social Security Number (7)</li> <li>o Gender (8)</li> <li>o Admission Date (12)</li> <li>o Discharge Date (40)</li> </ul> <p>DO NOT resubmit an original after a modification. If the modification was in error, you must submit another modification to correct the error.</p> <p><b>Action:</b> Determine why this record was submitted multiple times. DO NOT resubmit this record as it is already in the database.</p>
-908	Fatal	CMG Calculation Issue: Unexpected error returned from the Grouper. No CMG code could be calculated.	<p><b>Cause:</b> The CMG encountered an unexpected error and was unable to calculate a CMG code.</p> <p><b>Action:</b> Please notify the QTSO Help Desk and resubmit the record after the new CMG is available to the QIES ASAP system.</p>
-909	Fatal	Birth Date Issue: The year of the Birth Date (6) is the same as the year of Admission Date (12).	<p><b>Cause:</b> The birth year is invalid.</p> <ul style="list-style-type: none"> <li>• The year of the Birth Date (6) must not be the same as the year of the Admission Date (12).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record and CMG Grouper documentation to identify the acceptable values for this item.</p>
-910	Fatal	Invalid Age: The calculated age is less than zero (0).	<p><b>Cause:</b> The calculated age is invalid.</p> <ul style="list-style-type: none"> <li>• Age must not be less than zero.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record and CMG Grouper documentation to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-911	Fatal	Invalid Age: The calculated age is greater than 140 years.	<p><b>Cause:</b> The calculated age is invalid.</p> <ul style="list-style-type: none"> <li>• Age must not be more than 140 years earlier than the admission date.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record and CMG Grouper documentation to identify the acceptable values for this item.</p>
-912	Fatal	Invalid Impairment Group: The Admission Impairment Group (21a) is invalid. The Impairment Group must be in the RIC lookup table.	<p><b>Cause:</b> The submitted Admission Impairment Group (21a) is not a valid value found in the RIC lookup table.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-913	Fatal	Invalid Item Length: The length of the text submitted for this item exceeds the maximum length allowed.	<p><b>Cause:</b> The text submitted exceeds the maximum length allowed for this item.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the length allowed for this item response.</p>
-914	Fatal	Invalid Format: The value submitted for this item contains one or more non-printable or control characters.	<p><b>Cause:</b> The value submitted for this item is invalid; it cannot contain non-printable or control characters.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit.</p>
-915	Fatal	Multiple Matches Found: The submitted record matches multiple records in the database. Please contact the QTSO Help Desk.	<p><b>Cause:</b> This record matches multiple records in the database. The modification or inactivation was not performed.</p> <p><b>Action:</b> Please contact the QTSO Help Desk</p>
-916	Fatal	Invalid Submission: This record was submitted more than 24 months after the facility's closed date.	<p><b>Cause:</b> The date this record was submitted is more than 24 months after the date the facility closed.</p> <p><b>Action:</b> No action is required. You cannot submit this record.</p>



<b>Error ID</b>	<b>Sev</b>	<b>Error Message</b>	<b>Error Description</b>
-917	Fatal	Invalid Submission: The target date (Discharge Date (40)) of this record is after the provider's closed date.	<p><b>Cause:</b> The Discharge Date (40) submitted is after the date the provider closed.</p> <p><b>Action:</b> Verify the Discharge Date. If the submitted Discharge Date is valid, you cannot submit this record. Otherwise, make appropriate corrections to the record and resubmit.</p>
-918	Fatal	Invalid Submission: The target date (Discharge Date (40)) of this record is more than 36 months prior to the submission date.	<p><b>Cause:</b> The Discharge Date (40) submitted is more than 36 months prior to the submission date.</p> <p><b>Action:</b> Verify the Discharge Date. If the submitted Discharge Date is valid, you cannot submit this record. Otherwise, make appropriate corrections to the record and resubmit.</p>
-919	Fatal	Invalid Target Date: The calculated target date is greater than the submission date.	<p><b>Cause:</b> The target date calculated by the ASAP system is later than the date the record was submitted.</p> <p><b>Definition:</b> <u>Target Date:</u> The submitted Discharge Date (40) value.</p> <p><b>Action:</b> Verify the Discharge Date. Make appropriate corrections to the record and resubmit.</p>
-1001	Fatal	Invalid FAC_ID: The Facility (FAC_ID) submitted in this record does not identify a valid provider in the QIES ASAP System.	<p><b>Cause:</b> The Facility ID (FAC_ID) in the submitted record is not associated with a valid provider in the QIES ASAP system.</p> <ul style="list-style-type: none"> <li>• The FAC_ID must be the system-assigned FAC_ID.</li> <li>• The value of the submitted FAC_ID must match the FAC_ID in the QIES ASAP system for the facility.</li> <li>• The submitted FAC_ID must be associated with the state submitted in the STATE_CD control item.</li> </ul> <p><b>Action:</b> Ensure that the FAC_ID value and the STATE_CD value are correct. Make appropriate corrections to the record and resubmit.</p>
-1002	Fatal	Invalid TRANS_TYPE_CD: The Transaction Type Code (TRANS_TYPE_CD) submitted in this record does not identify a valid transaction type.	<p><b>Cause:</b> The submitted Transaction Type Code (TRANS_TYPE_CD) value is not valid.</p> <p><b>Action:</b> Contact your software vendor. Refer to the data specifications in effect for this record to identify the acceptable values for this item. Make appropriate corrections to the record and resubmit.</p>

Error ID	Sev	Error Message	Error Description
-1003	Fatal	Invalid SSN: The SSN value submitted is invalid.	<p><b>Cause:</b> The submitted SSN is invalid.</p> <ul style="list-style-type: none"> <li>• IF Social Security Number (7) is not blank (^), THEN it must be 9 characters in length.</li> <li>• IF Social Security Number is not blank (^), THEN the first 3 characters must not be 000.</li> <li>• IF Social Security Number is not blank (^), THEN it must not be 111111111, 333333333, 123456789, or 999999999.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1004	Fatal	Invalid Numeric Format: Only whole numbers and specified special characters are valid for this item.	<p><b>Cause:</b> The value submitted for this item is invalid; it is not one of the numeric values or special characters allowed. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the value does not exceed the allowed maximum length for the item. Numbers with a decimal point and one or more decimal places are not allowed for this item. Signed numbers (+ for positive or – for negative) are not allowed for this item.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1005	Fatal	Invalid Format: Embedded spaces and dashes are invalid for this item.	<p><b>Cause:</b> The value submitted for this item is invalid; it cannot contain embedded spaces or dashes.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

<b>Error ID</b>	<b>Sev</b>	<b>Error Message</b>	<b>Error Description</b>
-1006	Fatal	Invalid Format: Only numeric characters 0-9, letters A-Z, or letters a-z are valid for this item. No spaces are allowed.	<p><b>Cause:</b> The value submitted for this item is invalid. If the value submitted is not one of the specifically allowed values for this item in the data specifications, the value may only contain alphanumeric characters 0-9, A-Z or a-z. No spaces are allowed in this item.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1007	Fatal	Invalid Format: Only numeric characters 0-9 and specified values are valid for this item.	<p><b>Cause:</b> The value submitted for this item is invalid. If the value submitted is not one of the specifically allowed values for this item in the data specifications, the value may only contain numeric characters 0-9. No spaces are allowed in this item.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1008	Fatal	Invalid Format: Only numeric characters 0-9, letters A-Z, letters a-z, dash (-), at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), ampersand (&) and embedded spaces are valid for this item.	<p><b>Cause:</b> The value submitted for this item is invalid. This item may only contain characters 0-9, A-Z, a-z, dash (-), at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), ampersand (&amp;). Embedded spaces are allowed. Only those spaces surrounded by any of the characters listed above are valid.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-1009	Fatal	Incorrect Format: Invalid ICD item format.	<p><b>Cause:</b> The ICD-9 code submitted in this item is not formatted properly.</p> <ul style="list-style-type: none"> <li>• IF an ICD-9 item is not all spaces, THEN it must be an 8-character, fixed-format string with a decimal point as the 6<sup>th</sup> character and adhering to the following rules: <ul style="list-style-type: none"> <li>o Character 1 must be a space.</li> <li>o Character 2 must be E or a space.</li> <li>o If character 2 is a space, then character 3 can be V or a number 0-9. If character 2 is E, then character 3 must be a number 0-9.</li> <li>o Characters 4 and 5 must be a number 0-9.</li> <li>o Character 6 must be a decimal point.</li> <li>o Characters 7 and 8 must be a number 0-9 or a space.</li> <li>o If character 7 is a space, then character 8 must be a space.</li> </ul> </li> </ul> <p><b>Note:</b> This edit only occur on records with a discharge date prior to 10/01/2014.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1010	Fatal	Invalid Value: The value submitted for this item is not an acceptable value.	<p><b>Cause:</b> The value submitted for this item is invalid; it is not one of the numeric values or special characters allowed in the data specifications.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1011	Fatal	Invalid Correction Number: The submitted Correction Number value is not one number greater than the number on the original or previously corrected record.	<p><b>Cause:</b> The submitted Correction Number (CORRECTION_NUM) is invalid for this record. The Correction Number in this modification/inactivation record must be 1 number greater than the Correction Number on the original or previously corrected record.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-1012	Fatal	Invalid Birth Date: Birth Date must contain a valid date in YYYYMMDD, YYYYMM, or YYYY format.	<p><b>Cause:</b> The birth date submitted in this item is invalid or formatted improperly. Birth Date (6) must be submitted in YYYYMMDD, YYYYMM, or YYYY format.</p> <ul style="list-style-type: none"> <li>• If a date is submitted in YYYYMMDD format, it must be 8 characters in length and each of the 8 characters must contain a number 0-9.</li> <li>• YYYY and MM must be zero-filled, where appropriate.</li> </ul> <p><b>Tip:</b> The invalid date is displayed on the Final Validation Report in the exact format that it was submitted.</p> <p><b>Action:</b> Contact the vendor of your encoding software to correct the formatting of dates. Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1013	Fatal	Invalid Impairment Group Code: The format of the submitted Impairment Group Code is not valid.	<p><b>Cause:</b> The Impairment Group Code value submitted for this record is invalid.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Contact your software vendor, if necessary. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1014	Fatal	Required Item Is Blank: The value for this required item is blank.	<p><b>Cause:</b> A blank value was submitted for this required item.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Contact your software vendor, if necessary. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-1015	Warn	CCN Mismatch: The submitted CCN does not match the CCN stored in the QIES ASAP database for the facility.	<p><b>Cause:</b> The Medicare Provider Number (CMS Certification Number) (1B) in this record differs from the CCN that is in the QIES ASAP System database for this provider. The value submitted in 1B does not match the CCN on file in the QIES ASAP System for the provider identified by the FAC_ID in this record.</p> <p><b>Example:</b> The CCN was entered incorrectly into item 1B either manually or by the encoding software that created the submission file. The facility's CCN was changed by CMS, but you are still submitting with a user ID associated with the old CCN. Despite the CCN submitted in item 1B, if you submit with your old user ID, you are still submitting for your old CCN.</p> <p><b>Action:</b> Contact your Regional Office to identify the correct CCN for your facility. Verify that the CCN in the encoding software is correct. If the facility's CCN changed, register for a new user ID for the new CCN. If you need additional assistance, contact the QTSO Help Desk.</p>
-1016	Fatal	Invalid E-Mail Address: An e-mail address may contain any printable characters except single-quotes (') and double-quotes (").	<p><b>Cause:</b> The value submitted for this item is invalid. An e-mail address may not contain single quote (') or double-quote (") characters.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1017	Fatal	Invalid Format: 'E' codes are not allowed.	<p><b>Cause:</b> The value submitted for this item is invalid. 'E' codes are not allowed.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1023	Fatal	Invalid CCN Length: The CMS Certification Number (CCN) (1B) must be exactly 6 characters.	<p><b>Cause:</b> The Facility Medicare Provider Number (CMS Certification Number) (1B) submitted is invalid. The CCN must be 6 characters in length.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit.</p>

<b>Error ID</b>	<b>Sev</b>	<b>Error Message</b>	<b>Error Description</b>
-1024	Warn	Facility Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in the QIES database. The database has been updated.	<p><b>Cause:</b> The submitted facility information differs from what is stored in the QIES ASAP database for this provider. The database was updated with this new information.</p> <p><b>Action:</b> Verify that the facility information in the encoding software is correct. If not correct, contact your software vendor.</p>
-1030	Warn	Patient Provider Updated: Our records indicated that a different provider previously cared for this patient. The provider associated with this patient has been updated.	<p><b>Cause:</b> A different provider submitted the previous record for this patient. The QIES ASAP System was updated to reflect the patient's new provider of care.</p> <p><b>Action:</b> No action is required.</p>

Error ID	Sev	Error Message	Error Description
-1031	Warn	Patient Information Mismatch: Submitted value(s) for the item(s) listed do not match the values in the QIES ASAP database. If the record was accepted, the patient information in the database was updated. Verify that the new information is correct.	<p><b>Cause:</b> Based on resident (patient) matching criteria, patient information in this record, though not identical, is similar enough to patient information in the QIES ASAP System that a match was identified. If the record was accepted, one or more fields in the QIES ASAP System were updated with the new or previously missing information.</p> <p><b>Example:</b> The patient's first name was spelled differently, the birth date was entered incorrectly, or the facility is now submitting information that was previously unknown (such as the Medicare or Medicaid number).</p> <p><b>Definition:</b> <u>Resident (patient) matching criteria:</u> Criteria used to match key patient-identifying information in a record with an existing patient known to the QIES ASAP System.</p> <p><b>Tip:</b> The resident match process may update the following patient information:</p> <ul style="list-style-type: none"> <li>o last name</li> <li>o first name</li> <li>o middle initial</li> <li>o birth date</li> <li>o death date</li> <li>o social security number</li> <li>o Medicare number</li> <li>o Medicaid number</li> <li>o gender</li> <li>o race/ethnicity</li> <li>o current Facility Internal ID</li> </ul> <p><b>Note:</b> The Death Date in the QIES ASAP database is updated with the value in item 40 (Discharge Date) when item 44C (Was the patient discharged alive) equals 0 (No).</p> <p><b>Action:</b> Verify the old and new information. If the new information is correct, no action is required. If the new information is not correct, make appropriate modifications to the record and resubmit.</p>



Error ID	Sev	Error Message	Error Description
-1032	Warn	Inconsistent Version Number: The version number of the data specifications used for this submission file is not the current version.	<p><b>Cause:</b> The submitted version number of the data specifications used for this record is not the current version.</p> <p><b>Action:</b> Verify that the version number in the encoding software is correct. Contact your software vendor.</p>
-1033	Fatal	Invalid Medicare Number Format: The Medicare Number must be 9 numeric characters or 1, 2, or 3 alphabetic characters followed by 6 or 9 numbers.	<p><b>Cause:</b> The value submitted in Patient Medicare Number (2) is invalid. Valid Patient Medicare Numbers must adhere to the following rules:</p> <ul style="list-style-type: none"> <li>o If the first character is a numeric value 0-9, then the first 9 characters must be numeric digits.</li> <li>o If the first character is alphabetic (RR insurance number), then there must be 1, 2, or 3 alphabetic characters followed by 6 or 9 numbers.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1035	Fatal	Inconsistent 16/17: The Pre-Hospital Living With (17) value is not consistent with the Pre-Hospital Living Setting (16) value.	<p><b>Cause:</b> The values submitted for Pre-Hospital Living With (17) and Pre-Hospital Living Setting (16) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Pre-Hospital Living Setting is 01, THEN Pre-Hospital Living With must not be blank.</li> <li>• IF Pre-Hospital Living Setting is not 01, THEN Pre-Hospital Living With must be blank.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1036	Fatal	Inconsistent 2/20A and 20B: If Primary Payment Source (20A) equals 02 or 51 or Secondary Payment Source (20B) equals 02 or 51, then Patient Medicare Number (2) cannot be blank.	<p><b>Cause:</b> The values submitted for Patient Medicare Number (2) and Primary Payment Source (20A) or Secondary Payment Source (20B) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Medicare is a payor (20A is 02 or 51) or (20B is 02 or 51), THEN Patient Medicare Number must not be blank.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-1037	Fatal	Inconsistent 18/19: The Pre-Hospital Vocational Category (18) value is not consistent with Pre-Hospital Vocational Effort (19) value.	<p><b>Cause:</b> The values submitted for Pre-Hospital Vocational Effort (19) and Pre-Hospital Vocational Category (18) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Pre-Hospital Vocational Category is 1, 2, 3, or 4, THEN Pre-Hospital Vocational Effort must not be blank.</li> <li>• IF Pre-Hospital Vocational Category is 5, 6 or 7, THEN Pre-Hospital Vocational Effort must be blank.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1038	Fatal	Inconsistent 20A/20B: The Primary Payment Source (20A) cannot equal 02 or 51 if Secondary Payment Source (20B) equals 02 or 51.	<p><b>Cause:</b> The values submitted for Primary Payment Source (20A) and Secondary Payment Source (20B) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Secondary Payment Source is 2 or 51, THEN Primary Payment Source must not be 2 or 51.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1039	Fatal	Inconsistent 33A/34A: The Tub Transfer: Admission (33A) value is not consistent with the Shower Transfer: Admission (34A) value.	<p><b>Cause:</b> The values submitted for Tub Transfer-Admission (33A) and Shower Transfer-Admission (34A) are not consistent. One of the admission transfer items must be scored and the other blank.</p> <ul style="list-style-type: none"> <li>• IF Tub Transfer-Admission is blank, THEN Shower Transfer-Admission must not be blank.</li> <li>• IF Tub Transfer-Admission is not blank, THEN Shower Transfer-Admission must be blank.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

<b>Error ID</b>	<b>Sev</b>	<b>Error Message</b>	<b>Error Description</b>
-1040	Fatal	Inconsistent 33D/34D: The Tub Transfer: Discharge (33D) value is not consistent with the Shower Transfer: Discharge (34D) value.	<p><b>Cause:</b> The values submitted for Tub Transfer-Discharge (33D) and Shower Transfer-Discharge (34D) are not consistent. One of the discharge transfer items must be scored and the other blank.</p> <ul style="list-style-type: none"> <li>• IF Tub Transfer-Discharge is blank, THEN Shower Transfer-Discharge must not be blank.</li> <li>• IF Tub Transfer-Discharge is not blank, THEN Shower Transfer-Discharge must be blank.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1041	Fatal	Inconsistent Comorbid Condition ICD Codes: For the items listed, if an item is blank, then the next item in the list must be blank.	<p><b>Cause:</b> The values submitted in the listed Comorbid Conditions (24A-J) items are not consistent.</p> <ul style="list-style-type: none"> <li>• IF a Comorbid Conditions item is blank, THEN the next item in the list must also be blank.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1042	Fatal	Inconsistent 44A/45: If Discharge to Living Setting (44A) equals 01, then Discharge to Living With (45) cannot be blank. If Discharge to Living Setting (44A) does not equal 01, then Discharge to Living With (45) must be blank.	<p><b>Cause:</b> The values submitted for Discharge to Living With (45) and Discharge to Living Setting (44A) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Discharge to Living Setting is 01, THEN Discharge to Living With must not be blank.</li> <li>• IF Discharge to Living Setting is not 01, THEN Discharge to Living With must be blank.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

<b>Error ID</b>	<b>Sev</b>	<b>Error Message</b>	<b>Error Description</b>
-1043	Fatal	Inconsistent Complications During Rehabilitation Stay Values: For the items listed, if an item is blank, then the next item must also be blank.	<p><b>Cause:</b> The values submitted in the listed Complications during rehabilitation stay items (47A-47F) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF a Complications during rehabilitation stay item is blank, THEN the next item in the list must also be blank.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1044	Fatal	Non-Medicare Record: This non-Medicare record was rejected by the QIES ASAP system.	<p><b>Cause:</b> Only Medicare records are accepted by the QIES ASAP system. A Medicare record is one in which the value of Primary Payment Source (20A) or Secondary Payment Source (20B) is 02 or 51. The value submitted for neither Primary Payment Source nor Secondary Payment Source was 02 or 51.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit, if appropriate. In the future, if the value of Primary Payment Source or Secondary Payment Source is not 02 or 51, do not submit the record to the QIES ASAP System.</p>
-1045	Fatal	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.	<p><b>Cause:</b> The date submitted in this item is invalid or formatted improperly. A date must be in YYYYMMDD format or must contain a special allowed value noted in the data specifications.</p> <p><b>Tip:</b> The invalid date is displayed on the Final Validation Report in the exact format that it was submitted.</p> <p><b>Action:</b> Contact the vendor of your encoding software if the date format is incorrect. Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

<b>Error ID</b>	<b>Sev</b>	<b>Error Message</b>	<b>Error Description</b>
-1046	Fatal	Date Too Old: The date listed is more than 140 years in the past.	<p><b>Cause:</b> The submitted Birth Date (6) value is invalid. Birth Date must not be more than 140 years earlier than the current date.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1047	Fatal	Dates Out of Order: The dates listed are out of order or in the future.	<p><b>Cause:</b> The submitted dates are out of order or in the future. Dates must occur chronologically as follows:</p> <ul style="list-style-type: none"> <li>o Birth Date (6) must precede or be the same as Date of Onset (23)</li> <li>o Date of Onset must precede or be the same as Admission Date (12)</li> <li>o Admission Date must precede or be the same as Assessment Reference Date (13)</li> <li>o Assessment Reference Date must precede or be the same as Discharge Date (40)</li> <li>o Discharge Date must precede or be the same as the submission date</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1048	Fatal	Inconsistent Program Interruption Date Pairs: The dates listed are out of order.	<p><b>Cause:</b> The submitted dates are out of order. The first date must precede or be the same as the second date if the dates are not blank.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1049	Fatal	Invalid Skip Pattern: If Program Interruption(s) (42) equals 0, then Program Interruption Dates (43A - 43F) must all be blank.	<p><b>Cause:</b> The values submitted for Program Interruption Dates (43A-43F) and Program Interruption(s) (42) are not consistent. IF Program Interruption(s) is 0, THEN all Program Interruption Dates (43A-43F) must be blank.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

<b>Error ID</b>	<b>Sev</b>	<b>Error Message</b>	<b>Error Description</b>
-1050	Fatal	Inconsistent 42/43A: If Program Interruption(s) (42) equals 1, then 1st Interruption Date (43A) must not be blank.	<p><b>Cause:</b> The values submitted for 1<sup>st</sup> Program Interruption Date (43A) and Program Interruption(s) (42) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Program Interruption(s) is 1, THEN 1<sup>st</sup> Interruption Date must not be blank.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1051	Fatal	Inconsistent Program Interruption Dates: For the dates listed, if a date is blank then the next date must also be blank.	<p><b>Cause:</b> The values submitted in the listed Program Interruption Dates (43A-43F) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF the first Program Interruption Date listed is blank, THEN the second date listed must be blank.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1052	Fatal	Inconsistent Program Interruption Dates: For the date pairs listed, if the first date is not blank then the second date must not be blank.	<p><b>Cause:</b> The values submitted in the listed Program Interruption Dates (43A-F) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF the first Program Interruption Date listed is not blank, the second date listed must not be blank.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1053	Fatal	Inconsistent Admission date: Admission Date (12) should be later than 1980.	<p><b>Cause:</b> The submitted Admission Date (12) value should be later than 1980.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1055	Fatal	Failed CMG Calculation: CMG calculation could not be performed due to a system error.	<p><b>Cause:</b> No CMG value was calculated because of an error that was encountered in the QIES ASAP system.</p> <p><b>Action:</b> Please notify the QTSO Help Desk Resubmit this record when the QIES ASAP system error is resolved.</p>

Error ID	Sev	Error Message	Error Description
-1056	Warn	Inconsistent CMG_CODE/CMG_VERSION: The submitted CMG_CODE/CMG_VERISON must match the calculated values.	<b>Cause:</b> The submitted CMG code value does not match the CMG code value calculated by the QIES ASAP system. <b>Action:</b> Contact your software vendor.
-1057	Warn	CMG Not Recalculated: The CMG for this assessment was not recalculated as the Discharge Date is more than 27 months prior to the Submission Date.	<b>Cause:</b> The QIES ASAP system did not recalculate the CMG for this record because the Discharge Date is more than 27 months prior to the Submission Date. <b>Action:</b> Verify the Discharge Date; make corrections to the record and resubmit if appropriate.
-1058	Fatal	Inconsistent 44A/44B: The submitted Discharge to Living Setting (44A) value is inconsistent with the submitted Discharged With Home Health Services (44B) value.	<b>Cause:</b> The values submitted for Discharged With Home Health Services (44B) and Discharge to Living Setting (44A) are not consistent. <ul style="list-style-type: none"> <li>• IF Discharge to Living Setting is 01, 02, 03, or 14, THEN Discharged With Home Health Services must be 0 or 1.</li> <li>• IF Discharge to Living Setting is not 01, 02, 03, or 14, THEN Discharged With Home Health Services must be blank.</li> </ul> <b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.
-1060	Warn	Inconsistent 12/13. The Assessment Reference Date (13) usually must be two days later than the Admission Date (12).	<b>Cause:</b> The submitted Assessment Reference Date (13) is not 2 days after the Admission Date (12). <b>Action:</b> Make appropriate corrections to the record and resubmit. To avoid this warning in the future, review assessment timing requirements.
-1071	Fatal	Unauthorized Submitter: The submitter's User ID is not authorized to submit data on behalf of the provider identified by the FAC_ID in this record.	<b>Cause:</b> The submitter's User ID does not have authority to submit for the provider associated with the FAC ID submitted in this record. <b>Action:</b> Make appropriate corrections to the record and resubmit. Contact the QTSO Help Desk for additional assistance.

Error ID	Sev	Error Message	Error Description
-1072	Warn	<p>Late Transmission (Submission): This record was transmitted (submitted) late. The transmission (submission) date must be reported on your Medicare claim, and may result in a late transmission penalty.</p>	<p><b>Cause:</b> Based upon the submitted Discharge Date (40), the assessment was not completed within CMS timing guidelines. For this record the Submission Date - Discharge date is greater than 26 days. The record must be submitted no later than 27 calendar days from the day the patient is discharged. The transmission (submission) date must be reported on your Medicare claim, and may result in a late transmission penalty.</p> <p><b>Action:</b> Refer to the data specifications in effect for this record to identify the acceptable values for this item. To avoid this warning in the future, review assessment timing requirements.</p>
-1100	Fatal	<p>Incorrect Format: Invalid ICD-10 item format.</p>	<p><b>Cause:</b> The submitted ICD-10 value is invalid. An ICD-10 code is an 8-position string of alphanumeric (A-Z, a-z, 0-9) characters with a decimal point as the 4<sup>th</sup> character. Formatting rules are:</p> <ul style="list-style-type: none"> <li>• Character 1 must be alphabetic (A-Z, a-z)</li> <li>• Character 2 must be numeric (0-9)</li> <li>• Character 3 must be numeric or alphabetic</li> <li>• Character 4 must be a decimal point</li> <li>• Characters 5 through 8 must be numeric, alphabetic, or blank (^)</li> <li>• If any character 5 through 8 is a blank (^), all subsequent characters must be a blank</li> </ul> <p><b>Note:</b> This edit only occur on records with a discharge date after 10/01/2015.</p> <p><b>Tip:</b> If an ICD-10 item is not required, the submitted “No information” value must be a single blank (^).</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>



Error ID	Sev	Error Message	Error Description
-1101	Fatal	Inconsistent 44D/45: If Discharge to Living Setting (44D) equals 01, then Discharge to Living With (45) cannot equal No Information/skipped (^). If Discharge to Living Setting (44D) does not equal 01, then Discharge to Living With (45) must equal No Information/skipped (^).	<p><b>Cause:</b> The values submitted for Discharge to Living With (45) and Discharge to Living Setting (44D) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Discharge to Living Setting is 01, THEN Discharge to Living With must not be No information/skipped (^).</li> <li>• IF Discharge to Living Setting is not 01, THEN Discharge to Living With must be No information/skipped (^).</li> </ul> <p><b>Tip:</b> This is a skip pattern. If Discharge to Living Setting is 01, then skip to Diagnosis for Interruption or Death (46) or the next active item.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1102	Fatal	Inconsistent 44C/44D/45: If Was Patient Discharged Alive (44C) equals 0, then Discharge to Living Setting (44D) and Discharge to Living With (45) must equal No Information/skipped (^). If Was Patient Discharged Alive (44C) equals 1, then Discharge to Living Setting (44D) must not equal No Information/skipped (^).	<p><b>Cause:</b> The values submitted for Discharge to Living Setting (44D) and Discharge to Living With (45) are not consistent with the value submitted for Was Patient Discharged Alive (44C).</p> <ul style="list-style-type: none"> <li>• IF Was Patient Discharged Alive is 0, THEN Discharge to Living Setting and Discharge to Living With must not be No information/skipped (^).</li> <li>• IF Was Patient Discharged Alive is 1, THEN Discharge to Living Setting and Discharge to Living With must be No information/skipped (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-1105	Fatal	Inconsistent 16A/17: If Pre-hospital Living Setting (16A) equals 01, then Pre-hospital Living With (17) must not equal No Information/skipped (^). If Pre-hospital Living Setting (16A) does not equal 01, then Pre-hospital Living With (17) must equal No Information/skipped (^).	<p><b>Cause:</b> The values submitted for Pre-hospital Living With (17) and Pre-hospital Living Setting (16A) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Pre-hospital Living Setting is 01, THEN Pre-hospital Living With must not be No information/skipped (^).</li> <li>• IF Pre-hospital Living Setting is not 01, THEN Pre-hospital Living With must be No information/skipped (^).</li> </ul> <p><b>Tip:</b> This is a skip pattern. If Pre-hospital Living Setting is not 01, then skip to Payment Source (20) or the next active item.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1106	Fatal	Incorrect Format: If this item does not equal one of the allowed special values (if any), then the length of the submitted value must match exactly the maximum length of the item.	<p><b>Cause:</b> The value submitted for this item is not valid.</p> <ul style="list-style-type: none"> <li>• If the value submitted for this item is not one of the allowed special characters, the length must be the maximum length noted in the IRF-PAI Data Specifications.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1107	Fatal	Inconsistent 9A-9F: If any Race/Ethnicity (9A-9F) item equals dash (-), then all Race/Ethnicity (9A-9F) items must equal dash (-).	<p><b>Cause:</b> The values submitted for Race/Ethnicity (9A through 9F) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF any item from American Indian or Alaska Native (9A) through White (9F) is a dash (-) then all items 9A through 9F must be a dash (-).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-1108	Fatal	Incorrect SSN: If the value of Social Security Number (7) is not equal to blank (^), it must be 9 characters long, the first three characters must not equal 000, and it must not equal 111111111, 333333333, 123456789, or 999999999.	<p><b>Cause:</b> The submitted Social Security Number (7) is invalid.</p> <ul style="list-style-type: none"> <li>• IF Social Security Number is not blank (^), THEN it must not be 111111111, 333333333, 123456789, or 999999999.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1109	Fatal	Inconsistent 2/20A/20B: If Primary Payment Source (20A) equals 02 or 51 or Secondary Payment Source (20B) equals 02 or 51, then Patient Medicare Number (2) must not equal No Information/skipped (^).	<p><b>Cause:</b> The values submitted for Patient Medicare Number (2) and Primary Payment Source (20A) or Secondary Source (20B) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Primary Payment Source is 02 or 51 OR Secondary Payment Source is 02 or 51, THEN Patient Medicare Number must not be No Information/skipped (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1110	Fatal	Inconsistent 33A/34A: If Tub Transfer-Admission (33A) is equal to 00 through 07, then Shower Transfer-Admission (34A) must equal No Information/skipped (^). If Shower Transfer-Admission (34A) is equal to 00 through 09, then Tub Transfer-Admission (33A) must equal No Information/skipped (^).	<p><b>Cause:</b> The values submitted for Tub Transfer-Admission (33A) and Shower Transfer-Admission (34A) are not consistent. One of the admission transfer items must be scored and the other No Information/skipped (^).</p> <ul style="list-style-type: none"> <li>• IF Tub Transfer-Admission is No Information/skipped (^), THEN Shower Transfer-Admission must not be No Information/skipped (^).</li> <li>• IF Tub Transfer-Admission is not No Information/skipped (^), THEN Shower Transfer-Admission must be No Information/skipped (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-1111	Fatal	Inconsistent 33D/34D: If Tub Transfer-Discharge (33D) is equal to 00 through 07, then Shower Transfer-Discharge (34D) must equal No Information/skipped (^). If Shower Transfer-Discharge (34D) is equal to 00 through 09, then Tub Transfer-Discharge (33D) must equal No Information/skipped (^).	<p><b>Cause:</b> The values submitted for Tub Transfer-Discharge (33D) and Shower Transfer-Discharge (34D) are not consistent. One of the discharge transfer items must be scored and the other No Information/skipped (^).</p> <ul style="list-style-type: none"> <li>• IF Tub Transfer-Discharge is No Information/skipped (^), THEN Shower Transfer-Discharge must not be No Information/skipped (^).</li> <li>• IF Tub Transfer-Discharge is not No Information/skipped (^), THEN Shower Transfer-Discharge must be No Information/skipped (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1112	Fatal	Inconsistent 24A-24Y: If a Comorbid Condition (24A-24Y) equals No Information/skipped (^), then the next comorbid item must equal No Information/skipped (^).	<p><b>Cause:</b> The values submitted in the listed Comorbid Conditions (24A-24Y) items are not consistent.</p> <ul style="list-style-type: none"> <li>• IF a Comorbid Condition item is No Information/skipped (^), THEN the next item in the list must also be No Information/skipped (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1113	Fatal	Inconsistent 47A-47F: If a Complication During Rehabilitation Stay (47A-47F) equals No Information/skipped (^), then the next complication item must equal No Information/skipped (^).	<p><b>Cause:</b> The values submitted in the listed Complications During Rehabilitation Stay items (47A-47F) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Complications During Rehabilitation Stay item is No Information/skipped (^), THEN the next item in the list must also be No Information/skipped (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-1114	Fatal	Inconsistent Dates: The dates listed are inconsistent.	<p><b>Cause:</b> The submitted dates are out of order. The first date must precede or be the same as the second date if the dates are not blank.</p> <p><b>Tip:</b> Ignore dates with “No information” (^).</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1115	Fatal	Invalid Skip Pattern: If Program Interruption(s) (42) equals 0, then all Program Interruption Dates (43A-43F) must equal No Information/skipped (^).	<p><b>Cause:</b> The values submitted for the Program Interruption Dates (43A-43F) and Program Interruption(s) (42) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Program Interruption(s) is 0, THEN all Program Interruption Dates (43A-43F) must be No Information/skipped (^).</li> </ul> <p><b>Tip:</b> This is a skip pattern. If Program Interruption(s) is 0, then skip to Was the patient discharged alive (44C) or the next active item.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1116	Fatal	Inconsistent 42/43A: If Program Interruption(s) (42) equals 1, then the first Program Interruption Date (43A) must not equal No Information/skipped (^).	<p><b>Cause:</b> The values submitted for 1<sup>st</sup> Program Interruption Date (43A) and Program Interruption(s) (42) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Program Interruption(s) is 1, THEN 1<sup>st</sup> Program Interruption Date must not be No Information/skipped (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-1117	Fatal	Inconsistent Dates: If a Program Interruption Date (43A-43F) equals No Information/skipped (^), then the next program interruption date item must equal No Information/skipped (^).	<p><b>Cause:</b> The values submitted in the listed Program Interruption Dates (43A-43F) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Program Interruption Date is No Information/skipped (^), THEN the next date must be No Information/skipped (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1118	Fatal	Inconsistent Date Pairs: If the first Program Interruption Date (43A-43F) listed does not equal No Information/skipped (^), then the second Program Interruption Date must not equal No Information/skipped (^).	<p><b>Cause:</b> The values submitted in the listed Program Interruption Dates (43A-43F) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF the first item is not No Information/skipped (^), THEN the second item must not be No Information/skipped (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-1119	Fatal	Incorrect Format: Invalid ICD-9 item format.	<p><b>Cause:</b> The ICD-9 code submitted in this item is not formatted properly.</p> <ul style="list-style-type: none"> <li>• IF an ICD-9 item is not submitted as No Information (^), THEN it must be an 8-character, fixed-format string with a decimal point as the 6<sup>th</sup> character and adhering to the following rules: <ul style="list-style-type: none"> <li>o Character 1 must be a space.</li> <li>o Character 2 must be E or a space.</li> <li>o If character 2 is a space, then character 3 can be V or a number 0-9. If character 2 is E, then character 3 must be a number 0-9.</li> <li>o Characters 4 and 5 each must be a number 0-9.</li> <li>o Character 6 must be a decimal point.</li> <li>o Characters 7 and 8 each must be a number 0-9 or a space.</li> <li>o If character 7 is a space, then character 8 must be a space.</li> </ul> </li> </ul> <p><b>Note:</b> This edit only occur on records with a discharge date between 10/01/2014 and 09/30/2015, inclusive.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1127	Fatal	Invalid Etiologic Diagnosis Code: ICD-10-CM codes V00.01 through Y99.9 are not valid Etiologic Diagnoses (22A/22B/22C).	<p><b>Cause:</b> The value submitted for Etiologic Diagnosis Code A (22A), Etiologic Diagnosis Code B (22B), or Etiologic Diagnosis Code C (22C) is invalid. ICD-10-CM codes V00.01 through Y99.9 are not valid for these items.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1128	Fatal	Inconsistent 22B/22C: If Etiologic Diagnosis Code B (22B) equals No Information (^), then Etiologic Diagnosis Code C (22C) must equal No Information (^).	<p><b>Cause:</b> The value submitted for Etiologic Diagnosis Code C (22C) is not consistent with the value submitted for Etiologic Diagnosis Code B (22B).</p> <ul style="list-style-type: none"> <li>• IF 22B is No Information (^), THEN 22C must be No Information (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-1129	Warn	Invalid Version Code: The value submitted for this item is not an acceptable value.	<p><b>Cause:</b> The value submitted for this item is invalid; it is not one of the values allowed in the data specifications.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1130	Fatal	Incorrect Medicare Number or Medicare Beneficiary Identifier (MBI): The MBI or Medicare Number format is invalid.	<p><b>Cause:</b> The Medicare Beneficiary Identifier (MBI) or Medicare number submitted in item 2 (Patient Medicare Number) is invalid.</p> <ul style="list-style-type: none"> <li>• IF the value submitted in item 2 is an MBI, it must be eleven characters as follows: <ul style="list-style-type: none"> <li>o The 1<sup>st</sup> character must be a number 1-9.</li> <li>o The 2<sup>nd</sup>, 5<sup>th</sup>, 8<sup>th</sup>, and 9<sup>th</sup> characters must be letters, excluding S, L, O, I, B, and Z.</li> <li>o The 4<sup>th</sup>, 7<sup>th</sup>, 10<sup>th</sup>, and 11<sup>th</sup> characters must be numbers.</li> <li>o The 3<sup>rd</sup> and 6<sup>th</sup> characters must be numbers or letters, excluding S, L, O, I, B, and Z.</li> </ul> </li> <li>• IF the value submitted in item 2 is a Medicare number, it must be formatted as follows: <ul style="list-style-type: none"> <li>o IF the first character is numeric, THEN all 9 characters must be numeric.</li> <li>o IF the first character is alphabetic, THEN there must be 1, 2, or 3 alphabetic characters and the remainder of the characters in the item must be numeric.</li> </ul> </li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5001	Fatal	Inconsistent 50A/50B-D: If Pressure Ulcers Present on Admission (50A) equals 1, then Healed Pressure Ulcers (50B, 50C, 50D) must not equal skipped (^).	<p><b>Cause:</b> The submitted number of pressure ulcers noted on admission in Stage 2 (50B), Stage 3 (50C), and/or Stage 4 (50D) is not consistent with the value submitted for Were pressure ulcers present on admission? (50A).</p> <ul style="list-style-type: none"> <li>• IF Were pressure ulcers present on admission? is 1, THEN items 50B-50D must not be blank (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>



Error ID	Sev	Error Message	Error Description
-5002	Fatal	Inconsistent 50A/50B-D: If Pressure Ulcers Present on Admission (50A) equals 0, then Healed Pressure Ulcers (50B, 50C, 50D) must all equal skipped (^).	<p><b>Cause:</b> The submitted number of pressure ulcers noted on admission in Stage 2 (50B), Stage 3 (50C), and/or Stage 4 (50D) is not consistent with the submitted Were pressure ulcers present on admission? (50A) value.</p> <ul style="list-style-type: none"> <li>• IF Were pressure ulcers present on admission? is 0, THEN items 50B-50D must be blank (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5004	Warn	Entering a dash as a response to a Quality item may result in a payment reduction for your facility of two percentage points for the applicable fiscal year annual increase factor.	<p><b>Cause:</b> Submitting a value of a dash (-) for any of the Quality items may result in a 2% reduction in payment for your facility for the applicable fiscal year annual increase factor.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5006	Fatal	Invalid Skip Pattern: If Unhealed PUs/Injuries-Admission (M0210) equals 0, then all Current Number of Unhealed PUs/Injuries at Each Stage-Admission items (M0300A1 through M0300G1) must equal Skipped (^).	<p><b>Cause:</b> The values submitted for Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage-Admission items (M0300A1 through M0300G1) and Unhealed PUs/Injuries - Admission (M0210) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Unhealed PUs/Injuries -Admission is 0, THEN all Current Number of Unhealed PUs/Injuries at Each Stage-Admission must be skipped (^).</li> </ul> <p><b>Tip:</b> This is a skip pattern. If Unhealed PUs-Admission is 0, then skip to Drug Regimen Review (N2001) or the next active item.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5007	Fatal	Invalid Skip Pattern: If Unhealed PUs-Discharge (M0210) equals 0, then all Current Number of Unhealed PUs at Each Stage-Discharge items (M0300A1 through M0300G2) and all Worsening in PU Status Since Admission items (M0800A through M0800F) must equal Skipped (^).	<p><b>Cause:</b> The values submitted for Current Number of Unhealed PUs at Each Stage-Discharge items (M0300A1 through M0300G2) and Worsening in PU Status Since Admission items (M0800A through M0800F) and Unhealed PUs-Discharge (M0210) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Unhealed PUs-Discharge is 0, THEN all Current Number of Unhealed PUs at Each Stage-Discharge items and all Worsening in PU Status Since Admission items must be skipped (^).</li> </ul> <p><b>Tip:</b> This is a skip pattern. If Unhealed PUs-Discharge is 0, then skip to Healed Pressure Ulcers-Stage1-Discharge (M0900A) or the next active item.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5009	Fatal	Inconsistent O0250B/6/40: If a valid date is entered, the Influenza Vaccination Date (O0250B) must be on or after the Birth Date (6) and on or before the Discharge Date (40).	<p><b>Cause:</b> The value submitted for Influenza Vaccination Date (O0250B) is not consistent with the value submitted for Birth Date (6) or Discharge Date (40). If a valid date is entered for O0250B,</p> <ul style="list-style-type: none"> <li>• The Birth Date must precede or be the same as the Influenza Vaccination Date</li> <li>• The Influenza Vaccination Date must precede or be the same as the Discharge Date.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5010	Fatal	Inconsistent M0210/M0300: If Unhealed PUs/Injuries-Admission (M0210) equals 1, then all Current Number of Unhealed PUs/Injuries at Each Stage-Admission items (M0300A1 through M0300G1) must not equal No Information/skipped (^).	<p><b>Cause:</b> The values submitted for Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage-Admission (M0300A1 through M0300G1) and Unhealed PUs/Injuries-Admission (M0210) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Unhealed PUs/Injuries-Admission is 1, THEN all Current Number of unhealed PUs/Injuries at Each Stage-Admission must not be No Information/skipped (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5011	Fatal	Inconsistent M0210/M0300: If Unhealed PUs-Discharge (M0210) equals 1, then all Current Number of Unhealed PUs at Each Stage-Discharge items (M0300A1 through M0300G1) must not equal No Information/skipped (^).	<p><b>Cause:</b> The values submitted for Current Number of Unhealed Pressure Ulcers at Each Stage-Discharge items (M0300A1 through M0300G1) and Unhealed PUs-Discharge (M0210) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF M0210 is 1, THEN all Current Number of unhealed PUs at Each Stage-Discharge items must not be No Information/skipped (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>
-5013	Fatal	Inconsistent M0210/M0900: If Unhealed PUs-Admission (M0210) equals 0, then all Healed PUs-Discharge items (M0900A through M0900D) must equal 0.	<p><b>Cause:</b> The values submitted for Healed PUs-Discharge (M0900A-M0900D) and Unhealed PUs-Admission (M0210) are inconsistent.</p> <ul style="list-style-type: none"> <li>• IF Unhealed PUs-Admission is 0, THEN all Healed PUs-Discharge items must be 0.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5014	Fatal	Invalid M0300A Items: If Current Unhealed Stage 1 PUs-Discharge (M0300A1) equals 0, then Unhealed Stage 1 PUs Present on Admission (M0300A2) and Unhealed Stage 1 PUs Not Present on Admission (M0300A3) must equal No Information/skipped (^).	<p><b>Cause:</b> The values submitted for Current Unhealed Stage 1 PUs-Discharge (M0300A1) and Unhealed Stage 1 PUs Present on Admission (M0300A2) and Unhealed Stage 1 PUs Not Present on Admission (M0300A3) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Current Unhealed Stage 1 PUs-Discharge is 0, THEN Unhealed Stage 1 PUs Present on Admission and Unhealed Stage 1 PUs Not Present on Admission must be No Information/skipped (^).</li> </ul> <p><b>Tip:</b> This is a skip pattern. If Current Unhealed Stage 1 PUs-Discharge is 0, then skip to Current Unhealed Stage 2 PUs-Discharge (M0300B1) or the next active item.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5015	Fatal	Inconsistent M0300A Items: If Current Unhealed Stage 1 PUs-Discharge (M0300A1) equals 1-9, then Unhealed Stage 1 PUs Present on Admission (M0300A2) and Unhealed Stage 1 PUs Not Present on Admission (M0300A3) must not equal No Information/skipped (^).	<p><b>Cause:</b> The values submitted for Current Unhealed Stage 1 PUs-Discharge (M0300A1) and Unhealed Stage 1 PUs Present on Admission (M0300A2) and Unhealed Stage 1 PUs Not Present on Admission (M0300A3) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Current Unhealed Stage 1 PUs-Discharge is 1-9, THEN Unhealed Stage 1 PUs Present on Admission and Unhealed Stage 1 PUs Not Present on Admission must not be No Information/skipped (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>
-5016	Fatal	Invalid M0300B Items: If Current Unhealed Stage 2 PUs-Discharge (M0300B1) equals 0, then Unhealed Stage 2 PUs Present on Admission (M0300B2) must equal No Information/skipped (^).	<p><b>Cause:</b> The values submitted for Current Unhealed Stage 2 PUs-Discharge (M0300B1) and Unhealed Stage 2 PUs Present on Admission (M0300B2) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Current Unhealed Stage 2 PUs-Discharge is 0, THEN Unhealed Stage 2 PUs Present on Admission must be No Information/skipped (^).</li> </ul> <p><b>Tip:</b> This is a skip pattern. If Current Unhealed Stage 2 PUs-Discharge is 0, then skip to Current Unhealed Stage 3 PUs-Discharge (M0300C1) or the next active item.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5017	Fatal	Inconsistent M0300B Items: If Current Unhealed Stage 2 PUs-Discharge (M0300B1) equals 1-9, then Unhealed Stage 2 PUs Present on Admission (M0300B2) must not equal Skipped (^).	<p><b>Cause:</b> The values submitted for Current Unhealed Stage 2 PUs-Discharge (M0300B1) and Unhealed Stage 2 PUs Present on Admission (M0300B2) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Current Unhealed Stage 2 PUs-Discharge is 1-9, THEN Unhealed Stage 2 PUs Present on Admission must not be Skipped (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>

Error ID	Sev	Error Message	Error Description
-5018	Fatal	Invalid M0300C Items: If Current Unhealed Stage 3 PUs-Discharge (M0300C1) equals 0, then Unhealed Stage 3 PUs Present on Admission (M0300C2) must equal Skipped (^).	<p><b>Cause:</b> The values submitted for Current Unhealed Stage 3 PUs-Discharge (M0300C1) and Unhealed Stage 3 PUs Present on Admission (M0300C2) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Current Unhealed Stage 3 PUs-Discharge is 0, THEN Unhealed Stage 3 PUs Present on Admission must be Skipped (^).</li> </ul> <p><b>Tip:</b> This is a skip pattern. If Current Unhealed Stage 3 PUs-Discharge is 0, then skip to Current Unhealed Stage 4 PUs-Discharge (M0300D1) or the next active item.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5019	Fatal	Inconsistent M0300C Items: If Current Unhealed Stage 3 PUs-Discharge (M0300C1) equals 1-9, then Unhealed Stage 3 PUs Present on Admission (M0300C2) must not equal Skipped (^).	<p><b>Cause:</b> The values submitted for Current Unhealed Stage 3 PUs-Discharge (M0300C1) and Unhealed Stage 3 PUs Present on Admission (M0300C2) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Current Unhealed Stage 3 PUs-Discharge is 1-9, THEN Unhealed Stage 3 PUs Present on Admission must not be Skipped (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>
-5020	Fatal	Invalid M0300D Items: If Current Unhealed Stage 4 PUs-Discharge (M0300D1) equals 0, then Unhealed Stage 4 PUs Present on Admission (M0300D2) must equal Skipped (^).	<p><b>Cause:</b> The values submitted for Current Unhealed Stage 4 PUs-Discharge (M0300D1) and Unhealed Stage 4 PUs Present on Admission (M0300D2) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Current Unhealed Stage 4 PUs-Discharge is 0, THEN Unhealed Stage 4 PUs Present on Admission n must be Skipped (^).</li> </ul> <p><b>Tip:</b> This is a skip pattern. If Current Unhealed Stage 4 PUs-Discharge is 0, then skip to Current Unhealed Unstageable (non-removable dressing) PUs-Discharge (M0300E1) or the next active item.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5021	Fatal	Inconsistent M0300D Items: If Current Unhealed Stage 4 PUs-Discharge (M0300D1) equals 1-9, then Unhealed Stage 4 PUs Present on Admission (M0300D2) must not equal Skipped (^).	<p><b>Cause:</b> The values submitted for Current Unhealed Stage 4 PUs-Discharge (M0300D1) and Unhealed Stage 4 PUs Present on Admission (M0300D2) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Current Unhealed Stage 4 PUs-Discharge is 1-9, THEN Unhealed Stage 4 PUs Present on Admission must not be Skipped (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>
-5022	Fatal	Invalid M0300E Items: If Current Unhealed Unstageable (non-removable dressing) PUs-Discharge (M0300E1) equals 0, then Unhealed Unstageable (non-removable dressing) PUs Present on Admission (M0300E2) must equal Skipped (^).	<p><b>Cause:</b> The values submitted for Current Unhealed Unstageable (non-removable dressing) PUs-Discharge (M0300E1) and Unhealed Unstageable (non-removable dressing) PUs Present on Admission (M0300E2) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Current Unhealed Unstageable (non-removable dressing) PUs-Discharge is 0, THEN Unhealed Unstageable (non-removable dressing) PUs Present on Admission must be Skipped (^).</li> </ul> <p><b>Tip:</b> This is a skip pattern. If Current Unhealed Unstageable (non-removable dressing) PUs-Discharge is 0, then skip to Current Unhealed Unstageable (slough/eschar) PUs-Discharge (M0300F1) or the next active item.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5023	Fatal	Inconsistent M0300E Items: If Current Unhealed Unstageable (non-removable dressing) PUs-Discharge (M0300E1) equals 1-9, then Unhealed Unstageable (non-removable dressing) PUs Present on Admission (M0300E2) must not equal Skipped (^).	<p><b>Cause:</b> The values submitted for Current Unhealed Unstageable (non-removable dressing) PUs-Discharge (M0300E1) and Unhealed Unstageable (non-removable dressing) PUs Present on Admission (M0300E2) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Current Unhealed Unstageable (non-removable dressing) PUs-Discharge is 1-9, THEN Unhealed Unstageable (non-removable dressing) PUs Present on Admission must not be Skipped (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>

Error ID	Sev	Error Message	Error Description
-5024	Fatal	Invalid M0300F Items: If Current Unhealed Unstageable (slough/eschar) PUs-Discharge (M0300F1) equals 0, then Unhealed Unstageable (slough/eschar) PUs Present on Admission (M0300F2) must equal Skipped (^).	<p><b>Cause:</b> The values submitted for Current Unhealed Unstageable (slough/eschar) PUs-Discharge (M0300F1) and Unhealed Unstageable (slough/eschar) PUs Present on Admission (M0300F2) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Current Unhealed Unstageable (slough/eschar) PUs-Discharge is 0, THEN Unhealed Unstageable (slough/eschar) PUs Present on Admission must be Skipped (^).</li> </ul> <p><b>Tip:</b> This is a skip pattern. If Current Unhealed Unstageable (slough/eschar) PUs-Discharge is 0, then skip to Current Unhealed Unstageable (suspected DTI) PUs-Discharge (M0300G1) or the next active item.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5025	Fatal	Inconsistent M0300F Items: If Current Unhealed Unstageable (slough/eschar) PUs-Discharge (M0300F1) equals 1-9, then Unhealed Unstageable (slough/eschar) PUs Present on Admission (M0300F2) must not equal Skipped (^).	<p><b>Cause:</b> The values submitted for Current Unhealed Unstageable (slough/eschar) PUs-Discharge (M0300F1) and Unhealed Unstageable (slough/eschar) PUs Present on Admission (M0300F2) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Current Unhealed Unstageable (slough/eschar) PUs-Discharge is 1-9, THEN Unhealed Unstageable (slough/eschar) PUs Present on Admission must not be Skipped (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>

Error ID	Sev	Error Message	Error Description
-5026	Fatal	Invalid M0300G Items: If Current Unhealed Unstageable (suspected DTI) PUs-Discharge (M0300G1) equals 0, then Unhealed Unstageable (suspected DTI) PUs Present on Admission (M0300G2) must equal No Information/skipped (^).	<p><b>Cause:</b> The values submitted for Current Unhealed Unstageable (suspected DTI) PUs-Discharge (M0300G1) and Unhealed Unstageable (suspected DTI) PUs Present on Admission (M0300G2) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Current Unhealed Unstageable (suspected DTI) PUs-Discharge is 0, THEN Unhealed Unstageable (suspected DTI) PUs Present on Admission must be No Information/skipped (^).</li> </ul> <p><b>Tip:</b> This is a skip pattern. If Current Unhealed Unstageable (suspected DTI) PUs-Discharge is 0, then skip to Healed Pressure Ulcers-Stage1-Discharge (M0900A) or the next active item.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5027	Fatal	Inconsistent M0300G Items: If Current Unhealed Unstageable (suspected DTI) PUs-Discharge (M0300G1) equals 1-9, then Unhealed Unstageable (suspected DTI) PUs Present on Admission (M0300G2) must not equal No Information/skipped (^).	<p><b>Cause:</b> The values submitted for Current Unhealed Unstageable (suspected DTI) PUs-Discharge (M0300F1) and Unhealed Unstageable (suspected DTI) PUs Present on Admission (M0300G2) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Current Unhealed Unstageable (suspected DTI) PUs-Discharge is 1-9, THEN Unhealed Unstageable (suspected DTI) PUs Present on Admission (M0300G2) must not be No Information/skipped (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>



Error ID	Sev	Error Message	Error Description
-5028	Fatal	<p>Inconsistent O0250A/O0250B: The submitted Did Patient Receive Influenza Vaccine (O0250A) value is inconsistent with the Date Influenza Vaccine Received (O0250B) value.</p>	<p><b>Cause:</b> The values submitted for Did Patient Receive Influenza Vaccine (O0250A) and Date Influenza Vaccine Received (O0250B) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Did Patient Receive Influenza Vaccine is 1, THEN Date Influenza Vaccine Received must not be No Information/skipped (^).</li> <li>• IF Did Patient Receive Influenza Vaccine is 0, THEN Date Influenza Vaccine Received must be No Information/skipped (^).</li> <li>• IF Did Patient Receive Influenza Vaccine is a dash (-), THEN Date Influenza Vaccine Received must be a dash (-).</li> </ul> <p><b>Tip:</b> This is a skip pattern. If Did Patient Receive Influenza Vaccine is 0, then skip to Reason Influenza Vaccine not Received (O0250C).</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>
-5029	Fatal	<p>Inconsistent O0250A/O0250C: The submitted Did Patient Receive Influenza Vaccine (O0250A) value is inconsistent with the Reason Influenza Vaccine not Received (O0250C) value.</p>	<p><b>Cause:</b> The values submitted for Did Patient Receive Influenza Vaccine (O0250A) and Reason Influenza Vaccine not Received (O0250C) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Did Patient Receive Influenza Vaccine is 0, THEN Reason Influenza Vaccine not Received must not be No Information/skipped (^).</li> <li>• IF Did Patient Receive Influenza Vaccine is 1, THEN Reason Influenza Vaccine not Received must be No Information/skipped (^).</li> <li>• IF Did Patient Receive Influenza Vaccine is a dash (-), Reason Influenza Vaccine not Received must be a dash (-).</li> </ul> <p><b>Tip:</b> This is a skip pattern. If Did Patient Receive Influenza Vaccine is 1, then skip to Signature of Persons Completing the Assessment (Z0400A).</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>

Error ID	Sev	Error Message	Error Description
-5030	Fatal	Invalid Skip Pattern: If Diabetes Mellitus (I2900A) equals 0, then Diabetic Retinopathy (I2900B), Diabetic Nephropathy (I2900C), and Diabetic Neuropathy (I2900D) must equal No Information/skipped (^).	<p><b>Cause:</b> The values submitted for Diabetes Mellitus (2900A), Diabetic Retinopathy (I2900B), Diabetic Nephropathy (I2900C), and Diabetic Neuropathy (I2900D) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Diabetes Mellitus is 0, THEN Diabetic Retinopathy, Diabetic Nephropathy, and Diabetic Neuropathy must be No Information/skipped (^).</li> </ul> <p><b>Tip:</b> This is a skip pattern. If Diabetes Mellitus is 0, then skip to Signature of Persons Completing the Assessment (Z0400A).</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>
-5031	Fatal	Inconsistent I2900 Items: If Diabetes Mellitus (I2900A) equals 1, then Diabetic Retinopathy (I2900B), Diabetic Nephropathy (I2900C), and Diabetic Neuropathy (I2900D) must not equal No Information/skipped (^).	<p><b>Cause:</b> The values submitted for Diabetes Mellitus (2900A), Diabetic Retinopathy (I2900B), Diabetic Nephropathy (I2900C), and Diabetic Neuropathy (I2900D) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Diabetes Mellitus is 1, THEN Diabetic Retinopathy, Diabetic Nephropathy, and Diabetic Neuropathy must not be No Information/skipped (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>
-5032	Fatal	Inconsistent I2900 Items: If Diabetes Mellitus (I2900A) equals Not Answered/No Information (-), then Diabetic Retinopathy (I2900B), Diabetic Nephropathy (I2900C), and Diabetic Neuropathy (I2900D) must all equal Not Answered/No Information (-) or, if the item is voluntary, Not answered-Voluntary (=).	<p><b>Cause:</b> The values submitted for Diabetes Mellitus (2900A), Diabetic Retinopathy (I2900B), Diabetic Nephropathy (I2900C), and Diabetic Neuropathy (I2900D) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Diabetes Mellitus is a dash (-), THEN Diabetic Retinopathy, Diabetic Nephropathy, and Diabetic Neuropathy must all be a dash (-) or, if an item is voluntary, an equal sign (=).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>

Error ID	Sev	Error Message	Error Description
-5033	Fatal	Inconsistent M0300A Items: The sum of Unhealed Stage 1 PUs Present at Admission (M0300A2) and Unhealed Stage 1 PUs Not Present on Admission (M0300A3) must equal Current Unhealed Stage 1 PUs-Discharge (M0300A1).	<p><b>Cause:</b> The values submitted for Current Unhealed Stage 1 PUs-Discharge (M0300A1), Unhealed Stage 1 PUs Present on Admission (M0300A2), and Unhealed Stage 1 PUs Not Present on Admission (M0300A3) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Unhealed Stage 1 PUs Present on Admission and Unhealed Stage 1 PUs Not Present on Admission are both 0-9, THEN the sum of these items must equal Current Unhealed Stage 1 PUs-Discharge.</li> </ul> <p><b>Tip:</b> If the summed value is greater than 9, consider it to be 9.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>
-5034	Fatal	Inconsistent M0300A Items: Counting dash (-) and equal sign (=) values as 0, if either Unhealed Stage 1 PUs Present on Admission (M0300A2) or Unhealed Stage 1 PUs Not Present on Admission (M0300A3) is numeric (0-9), then their sum must equal or be less than Current Unhealed Stage 1 PUs-Discharge (M0300A1).	<p><b>Cause:</b> The values submitted for Current Unhealed Stage 1 PUs-Discharge (M0300A1), Unhealed Stage 1 PUs Present on Admission (M0300A2), and Unhealed Stage 1 PUs Not Present on Admission (M0300A3) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Unhealed Stage 1 PUs Present on Admission OR Unhealed Stage 1 PUs Not Present on Admission is 0-9, THEN the sum of these items must equal or be less than Current Unhealed Stage 1 PUs-Discharge.</li> </ul> <p><b>Tip:</b> Count all dash (-) and equal sign (=) values as 0. If the summed value is greater than 9, consider it to be 9.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>

Error ID	Sev	Error Message	Error Description
-5035	Fatal	Inconsistent M0300B Items: The sum of Unhealed Stage 2 PUs Present on Admission (M0300B2), Unhealed Stage 2 PUs Present on Admission as Unstageable (M0300B3), and Unhealed Stage 2 PUs Not Present on Admission (M0300B4) must equal Current Unhealed Stage 2 PUs-Discharge (M0300B1).	<p><b>Cause:</b> The values submitted for Current Unhealed Stage 2 PUs-Discharge (M0300B1), Unhealed Stage 2 PUs Present on Admission (M0300B2), Unhealed Stage 2 PUs Present on Admission as Unstageable (M0300B3), and Unhealed Stage 2 PUs Not Present on Admission (M0300B4) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Unhealed Stage 2 PUs Present on Admission, Unhealed Stage 2 PUs Present on Admission as Unstageable, and Unhealed Stage 2 PUs Not Present on Admission are ALL 0-9, THEN the sum of these items must equal Current Unhealed Stage 2 PUs-Discharge.</li> </ul> <p><b>Tip:</b> If the summed value is greater than 9, consider it to be 9.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>
-5036	Fatal	Inconsistent M0300B Items: Counting dash (-) and equal sign (=) values as 0, the sum of Unhealed Stage 2 PUs Present on Admission (M0300B2), Unhealed Stage 2 PUs Present on Admission as Unstageable (M0300B3), and Unhealed Stage 2 PUs Not Present on Admission (M0300B4) must equal or be less than Current Unhealed Stage 2 PUs-Discharge (M0300B1).	<p><b>Cause:</b> The values submitted for Current Unhealed Stage 2 PUs-Discharge (M0300B1), Unhealed Stage 2 PUs Present on Admission (M0300B2), Unhealed Stage 2 PUs Present on Admission as Unstageable (M0300B3), and Unhealed Stage 2 PUs Not Present on Admission (M0300B4) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Unhealed Stage 2 PUs Present on Admission, Unhealed Stage 2 PUs Present on Admission as Unstageable, OR Unhealed Stage 2 PUs Not Present on Admission is 0-9, THEN the sum of these items must equal or be less than Current Unhealed Stage 2 PUs-Discharge.</li> </ul> <p><b>Tip:</b> Count all dash (-) and equal sign (=) values as 0. If the summed value is greater than 9, consider it to be 9.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>

Error ID	Sev	Error Message	Error Description
-5037	Fatal	Inconsistent M0300C Items: The sum of Unhealed Stage 3 PUs Present on Admission (M0300C2), Unhealed Stage 3 PUs Present on Admission as Unstageable (M0300C3), and Unhealed Stage 3 PUs Not Present on Admission (M0300C4) must equal Current Unhealed Stage 3 PUs-Discharge (M0300C1).	<p><b>Cause:</b> The values submitted for Current Unhealed Stage 3 PUs-Discharge (M0300C1), Unhealed Stage 3 PUs Present on Admission (M0300C2), Unhealed Stage 3 PUs Present on Admission as Unstageable (M0300C3), and Unhealed Stage 3 PUs Not Present on Admission (M0300C4) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Unhealed Stage 3 PUs Present on Admission, Unhealed Stage 3 PUs Present on Admission as Unstageable, and Unhealed Stage 3 PUs Not Present on Admission are ALL 0-9, THEN the sum of these items must equal Current Unhealed Stage 3 PUs-Discharge.</li> </ul> <p><b>Tip:</b> If the summed value is greater than 9, consider it to be 9.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>
-5038	Fatal	Inconsistent M0300C Items: Counting dash (-) and equal sign (=) values as 0, the sum of Unhealed Stage 3 PUs Present on Admission (M0300C2), Unhealed Stage 3 PUs Present on Admission as Unstageable (M0300C3), and Unhealed Stage 3 PUs Not Present on Admission (M0300C4) must equal or be less than Current Unhealed Stage 3 PUs-Discharge (M0300C1).	<p><b>Cause:</b> The values submitted for Current Unhealed Stage 3 PUs-Discharge (M0300C1), Unhealed Stage 3 PUs Present on Admission (M0300C2), Unhealed Stage 3 PUs Present on Admission as Unstageable (M0300C3), and Unhealed Stage 3 PUs Not Present on Admission (M0300C4) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Unhealed Stage 3 PUs Present on Admission, Unhealed Stage 3 PUs Present on Admission as Unstageable, OR Unhealed Stage 3 PUs Not Present on Admission is 0-9, THEN the sum of these items must equal or be less than Current Unhealed Stage 3 PUs-Discharge.</li> </ul> <p><b>Tip:</b> Count all dash (-) and equal sign (=) values as 0. If the summed value is greater than 9, consider it to be 9.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>

Error ID	Sev	Error Message	Error Description
-5039	Fatal	Inconsistent M0300D Items: The sum of Unhealed Stage 4 PUs Present on Admission (M0300D2), Unhealed Stage 4 PUs Present on Admission as Unstageable (M0300D3), and Unhealed Stage 4 PUs Not Present on Admission (M0300D4) must equal Current Unhealed Stage 4 PUs-Discharge (M0300D1).	<p><b>Cause:</b> The values submitted for Current Unhealed Stage 4 PUs-Discharge (M0300D1), Unhealed Stage 4 PUs Present on Admission (M0300D2), Unhealed Stage 4 PUs Present on Admission as Unstageable (M0300D3), and Unhealed Stage 4 PUs Not Present on Admission (M0300D4) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Unhealed Stage 4 PUs Present on Admission, Unhealed Stage 4 PUs Present on Admission as Unstageable, and Unhealed Stage 4 PUs Not Present on Admission are ALL 0-9, THEN the sum of these items must equal Current Unhealed Stage 4 PUs-Discharge.</li> </ul> <p><b>Tip:</b> If the summed value is greater than 9, consider it to be 9.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>
-5040	Fatal	Inconsistent M0300D Items: Counting dash (-) and equal sign (=) values as 0, the sum of Unhealed Stage 4 PUs Present on Admission (M0300D2), Unhealed Stage 4 PUs Present on Admission as Unstageable (M0300D3), and Unhealed Stage 4 PUs Not Present on Admission (M0300D4) must equal or be less than Current Unhealed Stage 4 PUs-Discharge (M0300D1).	<p><b>Cause:</b> The values submitted for Current Unhealed Stage 4 PUs-Discharge (M0300D1), Unhealed Stage 4 PUs Present on Admission (M0300D2), Unhealed Stage 4 PUs Present on Admission as Unstageable (M0300D3), and Unhealed Stage 4 PUs Not Present on Admission (M0300D4) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Unhealed Stage 4 PUs Present on Admission, Unhealed Stage 4 PUs Present on Admission as Unstageable, OR Unhealed Stage 4 PUs Not Present on Admission is 0-9, THEN the sum of these items must equal or be less than Current Unhealed Stage 4 PUs-Discharge.</li> </ul> <p><b>Tip:</b> Count all dash (-) and equal sign (=) values as 0. If the summed value is greater than 9, consider it to be 9.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>

Error ID	Sev	Error Message	Error Description
-5041	Fatal	<p>Inconsistent M0300E Items:            Counting dash (-) and equal sign (=) values as 0, the sum of Unhealed Unstageable (non-removable dressing) PUs Present on Admission (M0300E2) and Unhealed Unstageable (non-removable dressing) PUs Present on Admission as Stageable (M0300E3) must equal or be less than Current Unhealed Unstageable (non-removable dressing) PUs-Discharge (M0300E1).</p>	<p><b>Cause:</b>            The values submitted for Current Unhealed Unstageable (non-removable dressing) PUs-Discharge (M0300E1), Unhealed Unstageable (non-removable dressing) PUs Present on Admission (M0300E2), and Unhealed Unstageable (non-removable dressing) PUs Present on Admission as Stageable (M0300E3)</p> <ul style="list-style-type: none"> <li>IF Unhealed Unstageable (non-removable dressing) PUs Present on Admission and Unhealed Unstageable (non-removable dressing) PUs Present on Admission as Stageable are both 0-9, THEN the sum of these items must equal or be less than Current Unhealed Unstageable (non-removable dressing) PUs-Discharge.</li> </ul> <p><b>Tip:</b>            Count all dash (-) and equal sign (=) values as 0. If the summed value is greater than 9, consider it to be 9.</p> <p><b>Action:</b>            Make appropriate corrections to the record and resubmit.            Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>
-5042	Fatal	<p>Inconsistent M0300F Items:            Counting dash (-) and equal sign (=) values as 0, the sum of Unhealed Unstageable (slough/eschar) PUs Present on Admission (M0300F2) and Unhealed Unstageable (slough/eschar) PUs Present on Admission as Stageable (M0300F3) must equal or be less than Current Unhealed Unstageable (slough/eschar) PUs-Discharge (M0300F1).</p>	<p><b>Cause:</b>            The values submitted for Current Unhealed Unstageable (slough/eschar) PUs-Discharge (M0300F1), Unhealed Unstageable (slough/eschar) PUs Present on Admission (M0300F2), and Unhealed Unstageable (slough/eschar) PUs Present on Admission as Stageable (M0300F3) are not consistent.</p> <ul style="list-style-type: none"> <li>IF Unhealed Unstageable (slough/eschar) PUs Present on Admission OR Unhealed Unstageable (slough/eschar) PUs Present on Admission as Stageable is 0-9, THEN the sum of these items must equal or be less than Current Unhealed Unstageable (slough/eschar) PUs-Discharge.</li> </ul> <p><b>Tip:</b>            Count all dash (-) and equal sign (=) values as 0. If the summed value is greater than 9, consider it to be 9.</p> <p><b>Action:</b>            Make appropriate corrections to the record and resubmit.            Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>

Error ID	Sev	Error Message	Error Description
-5043	Fatal	Inconsistent M0300G1/M0300G2: Unhealed Unstageable (suspected DTI) PUs Present on Admission (M0300G2) must equal or be less than Current Unhealed Unstageable (suspected DTI) PUs-Discharge (M0300G1).	<p><b>Cause:</b> The values submitted for Current Unhealed Unstageable (suspected DTI) PUs-Discharge (M0300G1) and Unhealed Unstageable (suspected DTI) PUs Present on Admission (M0300G2) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Unhealed Unstageable (suspected DTI) PUs Present on Admission is 0, 1, 2, 3, 4, 5, 6, 7, 8, or-9, THEN it must equal or be less than Current Unhealed Unstageable (suspected DTI) PUs-Discharge.</li> </ul> <p><b>Tip:</b> Count all dash (-) and equal sign (=) values as 0.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>
-5044	Fatal	Inconsistent M0210/M0300: If Unhealed PUs/Injuries-Admission (M0210_1) equals Not assessed/No information (-), then all Current Number of Unhealed PUs/Injuries at Each Stage-Admission items (M0300A1_1 through M0300G1_1) must equal Not assessed/No information (-).	<p><b>Cause:</b> One or more values submitted for Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage-Admission items (M0300A1 through M0300G1) and the value submitted for Unhealed PUs/Injuries-Admission (M0210) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Unhealed PUs/Injuries -Admission is a dash (-), THEN all Current Number of Unhealed PUs/Injuries at Each Stage-Admission must be a dash (-).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5045	Fatal	Inconsistent M0210/M0900: If Unhealed PUs-Admission (M0210) equals Not answered/No information (-), then all Healed Pressure Ulcers-Discharge items (M0900A through M0900D) must equal Not answered/No information (-).	<p><b>Cause:</b> One or more values submitted for Healed Pressure Ulcers-Discharge items (M0900A through M0900D) and the value submitted for Unhealed PUs-Admission (M0210) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Unhealed PUs-Admission is a dash (-), THEN all Healed Pressure Ulcers-Discharge items must be a dash (-).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>



Error ID	Sev	Error Message	Error Description
-5046	Fatal	Inconsistent M0210/M0300: If Unhealed PUs/Injuries-Discharge (M0210_2) equals Not assessed/No information (-), then all Current Number of Unhealed PUs/Injuries at Each Stage-Discharge items (M0300A1_2 through M0300G2_2) must equal Not assessed/No information (-).	<p><b>Cause:</b> One or more values submitted for Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage-Discharge items (M0300A1 through M0300G2) and the value submitted for Unhealed PUs/Injuries-Discharge (M0210) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Unhealed PUs/Injuries-Discharge is a dash (-), THEN all Current Number of Unhealed PUs/Injuries at Each Stage-Discharge items must be a dash (-).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5047	Fatal	Inconsistent M0300A Items: If Current Unhealed Stage 1 PUs-Discharge (M0300A1) equals Not answered/No information (-), then all other Current Unhealed Stage 1 PUs-Discharge items (M0300A2 and M0300A3) must equal Not answered/No information (-) or, if the item is voluntary, Not answered-Voluntary (=).	<p><b>Cause:</b> One or more values submitted for Current Unhealed Stage 1 PUs-Discharge items (M0300A2 and M0300A3) and the value submitted for Current Unhealed Stage 1 PUs-Discharge (M0300A1) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Current Unhealed Stage 1 PUs-Discharge is a dash (-), THEN all other Current Unhealed Stage 1 PUs-Discharge items must be a dash (-) or, if an item is voluntary, an equal sign (=).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5048	Fatal	Inconsistent M0300B Items: If Current Unhealed Stage 2 PUs-Discharge (M0300B1) equals Not assessed/No information (-), then Current Unhealed Stage 2 PUs-Discharge (M0300B2) must equal Not assessed/No information (-).	<p><b>Cause:</b> The values submitted for Unhealed Stage 2 PUs Present on Admission (M0300B2) and Current Unhealed Stage 2 PUs-Discharge (M0300B1) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Current Unhealed Stage 2 PUs-Discharge is a dash (-), THEN Unhealed Stage 2 PUs Present on Admission must be a dash (-).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5049	Fatal	Inconsistent M0300C Items: If Current Unhealed Stage 3 PUs-Discharge (M0300C1) equals Not assessed/No information (-), then Current Unhealed Stage 3 PUs-Discharge (M0300C2) must equal Not assessed/No information (-).	<p><b>Cause:</b> The values submitted for Unhealed Stage 3 PUs Present on Admission (M0300C2) and Current Unhealed Stage 3 PUs-Discharge (M0300C1) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Current Unhealed Stage 3 PUs-Discharge is a dash (-), THEN Unhealed Stage 3 PUs-Discharge must be a dash (-).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5050	Fatal	Inconsistent M0300D Items: If Current Unhealed Stage 4 PUs-Discharge (M0300D1) equals Not assessed/No information (-), then Current Unhealed Stage 4 PUs-Discharge (M0300D2) must equal Not assessed/No information (-).	<p><b>Cause:</b> The values submitted for Unhealed Stage 4 PUs Present on Admission (M0300D2) and Current Unhealed Stage 4 PUs-Discharge (M0300D1) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Current Unhealed Stage 4 PUs-Discharge is a dash (-), THEN Unhealed Stage 4 PUs-Discharge must be a dash (-).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5051	Fatal	Inconsistent M0300E Items: If Current Unhealed Unstageable (non-removable dressing) PUs/Injuries-Discharge (M0300E1) equals Not assessed/No information (-), then Current Unhealed Unstageable (non-removable dressing) PUs/Injuries-Discharge (M0300E2) must equal Not assessed/No information (-).	<p><b>Cause:</b> The values submitted for Current Unhealed Unstageable (non-removable dressing) Pressure Ulcers/Injuries-Discharge (M0300E2) and Current Unhealed Unstageable (non-removable dressing) Pressure Ulcers/Injuries-Discharge (M0300E1) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Current Unhealed Unstageable (non-removable dressing) PUs/Injuries-Discharge is a dash (-), THEN Current Unhealed Unstageable (non-removable dressing) PUs/Injuries-Discharge must be a dash (-).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5052	Fatal	Inconsistent M0300F Items: If Current Unhealed Unstageable (slough/eschar) PUs-Discharge (M0300F1) equals Not assessed/No information (-), then Current Unhealed Unstageable (slough/eschar) PUs-Discharge (M0300F2) must equal Not assessed/No information (-).	<p><b>Cause:</b> The values submitted for Current Unhealed Unstageable (slough/eschar) PUs-Discharge items (M0300F2) and Current Unhealed Unstageable (slough/eschar) PUs-Discharge (M0300F1) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Current Unhealed Unstageable (slough/eschar) PUs-Discharge is a dash (-), THEN Current Unhealed Unstageable (slough/eschar) PUs-Discharge must be a dash (-).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5053	Fatal	Inconsistent M0300G Items: If Current Unhealed Unstageable (suspected DTI) Pressure Injuries-Discharge (M0300G1) equals Not assessed/No information (-), then Unhealed Unstageable (suspected DTI) Pressure Injuries Present-Discharge (M0300G2) must equal Not assessed/No information (-).	<p><b>Cause:</b> The values submitted for Unhealed Unstageable (suspected DTI) Pressure Injuries Present on Admission (M0300G2) and Current Unhealed Unstageable (suspected DTI) Pressure Injuries-Discharge (M0300G1) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Unhealed Unstageable (suspected DTI) Pressure Injuries Present on Admission is a dash (-), THEN Current Unhealed Unstageable (suspected DTI) Pressure Injuries-Discharge must be a dash (-).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5054	Warn	Entering a dash as a response to an Influenza Vaccination Quality item may result in a payment reduction for your facility of two percentage points for the applicable fiscal year annual increase factor.	<p><b>Cause:</b> Submitting a value of a dash (-) for any of the following Quality items may result in a 2% reduction in payment for your facility for the applicable fiscal year annual increase factor.</p> <ul style="list-style-type: none"> <li>o O0250A (Did Patient Receive Influenza Vaccine)</li> <li>o O0250C (Reason Influenza Vaccine not Received)</li> </ul> <p><b>Note:</b> This edit for the Influenza Vaccination items only applies for an assessment covering one or more days during the October 1st through March 31st influenza season. That is, the edit only applies if the Discharge Date (40) is on or after October 1 and the Admission Date (12) is on or before March 31 of the subsequent year.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5055a	Fatal	Invalid Skip Pattern: If C0100 is equal to 0, then all items C0200 through C0600 must be equal to blank (^).	<p><b>Cause:</b> The value submitted in this item is not consistent with the value submitted in item C0100 (Should Brief Interview for Mental Status be Conducted?).</p> <ul style="list-style-type: none"> <li>• IF C0100 is 0, THEN items C0200 (Repetition of Three Words) through C0600 (Should the Staff Assessment for Mental Status be conducted?) must be blank (^).</li> <li>• IF C0100 is 1, THEN all items C0200 through C0600 must not be blank (^).</li> <li>• IF C0100 is a dash (-), THEN all items C0200 through C0500 (BIMS Summary Score) must be a dash (-) and C0600 must be 1 or a dash (-).</li> </ul> <p><b>Tip:</b> This is a skip pattern. If C0100 is 0, then skip to C0900 (Memory/Recall Ability).</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5055b	Fatal	Invalid Skip Pattern: If C0100 is equal to 1, then all items from C0200 through C0600 must not be equal to blank (^).	See error number -5055a
-5055c	Fatal	Invalid Skip Pattern: If C0100 is equal to dash (-), then all items from C0200 through C0500 must be equal to dash (-) and C0600 must be equal to 1 or dash (-).	See error number -5055a

Error ID	Sev	Error Message	Error Description
-5056a	Fatal	Inconsistent C0500 Value: If none of the items C0200 through C0400C is equal to dash (-) and 3 or fewer of the items C0200 through C0400C are equal to 0, then C0500 must be equal to the sum of items C0200 through C0400C.	<p><b>Cause:</b> The value submitted in C0500 (Summary Score) does not match the BIMS Summary Score calculated by the QIES ASAP System.</p> <ul style="list-style-type: none"> <li>• IF C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C are not a dash (-) and 3 or fewer of these items are 0, THEN C0500 must be the sum of items C0200 through C0400C.</li> <li>• IF C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C are not a dash (-) and 4 or more of these items are 0, THEN C0500 must be the sum of items C0200 through C0400C or 99.</li> <li>• IF some, but not all, of the items C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C are a dash (-), THEN C0500 must be 99.</li> <li>• IF all of the items C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C are a dash (-), THEN C0500 must be a dash (-).</li> </ul> <p><b>Definition:</b> <u>BIMS</u> – Brief Interview for Mental Status</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5056b	Fatal	Inconsistent C0500 Value: If none of the items C0200 through C0400C is equal to dash (-) and 4 or more of the items C0200 through C0400C are equal to 0, then C0500 must be equal to the sum of items C0200 through C0400C or 99.	See error number -5056a
-5056c	Fatal	Inconsistent C0500 Value: If some, but not all, of the items C0200 through C0400C are equal to dash (-), then C0500 must be equal to 99.	See error number -5056a
-5056d	Fatal	Inconsistent C0500 Value: If all of the items C0200 through C0400C are equal to dash (-), then C0500 must be equal to dash (-).	See error number -5056a

Error ID	Sev	Error Message	Error Description
-5057a	Fatal	Invalid Skip Pattern: If C0600 is equal to 0, then all items C0900A through C0900Z must be equal to blank (^).	<p><b>Cause:</b> The value submitted in this item is not consistent with the value submitted in item C0600 (Should the Staff Assessment for Mental Status be Conducted?).</p> <ul style="list-style-type: none"> <li>• IF C0600 is 0, THEN items C0900A (Current season) through C0900Z (None of the above) must be blank (^).</li> <li>• IF C0600 is 1 or blank (^), THEN all items C0900A through C0900Z must not be blank (^).</li> <li>• IF C0600 is a dash (-), THEN all items C0900A through C0900Z must be a dash (-).</li> </ul> <p><b>Tip:</b> This is a skip pattern. If C0600 is 0 or blank (^), then skip to C1300 (Delirium).</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5057b	Fatal	Invalid Skip Pattern: If C0600 is equal to 1 or blank (^), then all items C0900A through C0900Z must not be equal to blank (^).	See error number -5057a
-5057c	Fatal	Invalid Skip Pattern: If C0600 is equal to dash (-), then all items C0900A through C0900Z must be equal to dash (-).	See error number -5057a
-5058a	Fatal	Inconsistent C0500/C0600 Values: If C0500 is equal to dash (-) or 99, then C0600 must be equal to 1 or dash (-).	<p><b>Cause:</b> The value submitted in item C0600 (Should the Staff Assessment for Mental Status be Conducted?) is not consistent with the value submitted in item C0500 (BIMS Summary Score).</p> <ul style="list-style-type: none"> <li>• IF C0500 is a dash (-) or 99, THEN C0600 must be 1 or a dash (-).</li> <li>• IF C0500 is 00-15 (inclusive), THEN C0600 must be 0.</li> </ul> <p><b>Definition:</b> <u>BIMS</u> – Brief Interview for Mental Status</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5058b	Fatal	Inconsistent C0500/C0600 Values: If C0500 is equal to 00-15, then C0600 must be equal to 0.	See error number -5058a

Error ID	Sev	Error Message	Error Description
-5059a	Fatal	Inconsistent None of the Above Value: If C0900Z is equal to 1, then all items C0900A through C0900E must be equal to 0.	<p><b>Cause:</b> The value submitted in item C0900Z (Memory/Recall Ability: None of the above were recalled) is not consistent with one or more values submitted in related items C0900A (Current season) through C0900E (That he or she is in a hospital/hospital unit).</p> <ul style="list-style-type: none"> <li>• IF C0900Z is checked, THEN all items C0900A through C0900E must be unchecked.</li> <li>• IF C0900Z is unchecked, THEN one or more items C0900A through C0900E must be checked.</li> <li>• IF C0900Z is a dash (-), THEN one or more items C0900A through C0900E must be a dash (-) and the remaining items C0900A through C0900E must be unchecked.</li> </ul> <p><b>Tip:</b> A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5059b	Fatal	Inconsistent None of the Above Value: If C0900Z is equal to 0, then at least one item C0900A through C0900E must be equal to 1.	See error number -5059a
-5059c	Fatal	Inconsistent None of the Above Value: If C0900Z is equal to dash (-), then at least one item C0900A through C0900E must be equal to dash (-) and all remaining items must be equal to 0 or dash (-).	See error number -5059a

Error ID	Sev	Error Message	Error Description
-5060a	Fatal	Inconsistent None of the Above Value: If GG0110Z is equal to 1, then all items GG0110A through GG0110E must be equal to 0.	<p><b>Cause:</b> The value submitted in item GG0110Z (Prior Device Use: None of the above) is not consistent with one or more values submitted in related items GG0110A (Prior Device User: Manual wheelchair) through GG0110E (Prior Device User: Orthotics/Prosthetics).</p> <ul style="list-style-type: none"> <li>• IF GG0110Z is checked, THEN all items GG0110A through GG0110E must be unchecked.</li> <li>• IF GG0110Z is unchecked, THEN one or more items GG0110A through GG0110E must be checked.</li> <li>• IF GG0110Z is a dash (-), THEN at least one item GG0110A through GG0110E must be a dash (-) and all remaining items must be unchecked or a dash (-).</li> </ul> <p><b>Tip:</b> A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5060b	Fatal	Inconsistent None of the Above Value: If GG0110Z is equal to 0, then at least one item GG0110A through GG0110E must be equal to 1.	See error number -5060a
-5060c	Fatal	Inconsistent None of the Above Value: If GG0110Z is equal to dash (-), then at least one item GG0110A through GG0110E must be equal to dash (-) and all remaining items must be equal to 0 or dash (-).	See error number -5060a



Error ID	Sev	Error Message	Error Description
-5061	Warn	Discharge Goal Not Identified: At least one of the Discharge Goal items GG0130A2 through GG0130H2 and GG0170A2 through GG0170S2 should be equal to 01, 02, 03, 04, 05, 06, 07, 09, 10, or 88. Entering a dash (-) for all of the Discharge Goal items may result in a payment reduction of 2% for the applicable FY annual increase factor.	<p><b>Cause:</b>  A value of 01, 02, 03, 04, 05, 06, 07, 09, 10, or 88 should be submitted for at least one of the following Self-care or mobility discharge goals to avoid a payment reduction of two percentage points for the applicable fiscal year annual increase factor:</p> <ul style="list-style-type: none"> <li>o GG0130A2 (Self-Care Discharge Goal: Eating)</li> <li>o GG0130B2 (Self-Care Discharge Goal: Oral hygiene)</li> <li>o GG0130C2 (Self-Care Discharge Goal: Toileting hygiene)</li> <li>o GG0130E2 (Self-Care Discharge Goal: Shower/bathe self)</li> <li>o GG0130F2 (Self-Care Discharge Goal: Upper body dressing)</li> <li>o GG0130G2 (Self-Care Discharge Goal: Lower body dressing)</li> <li>o GG0130H2 (Self-Care Discharge Goal: Putting on/taking off Footwear)</li> <li>o GG0170A2 (Mobility Discharge Goal: Roll left and right)</li> <li>o GG0170B2 (Mobility Discharge Goal: Sit to lying)</li> <li>o GG0170C2 (Mobility Discharge Goal: Lying to sitting on side of bed)</li> <li>o GG0170D2 (Mobility Discharge Goal: Sit to stand)</li> <li>o GG0170E2 (Mobility Discharge Goal: Chair/bed-to-chair transfer)</li> <li>o GG0170F2 (Mobility Discharge Goal: Toilet transfer)</li> <li>o GG0170G2 (Mobility Discharge Goal: Car transfer)</li> <li>o GG0170I2 (Mobility Discharge Goal: Walk 10 feet)</li> <li>o GG0170J2 (Mobility Discharge Goal: Walk 50 feet with two turns)</li> <li>o GG0170K2 (Mobility Discharge Goal: Walk 150 feet)</li> <li>o GG0170L2 (Mobility Discharge Goal: Walking 10 feet on uneven surfaces)</li> <li>o GG0170M2 (Mobility Discharge Goal: 1 step (curb))</li> <li>o GG0170N2 (Mobility Discharge Goal: 4 steps)</li> <li>o GG0170O2 (Mobility Discharge Goal: 12 steps)</li> <li>o GG0170P2 (Mobility Discharge Goal: Picking up object)</li> <li>o GG0170R2 (Mobility Discharge Goal: Wheel 50 feet with two turns)</li> <li>o GG0170S2 (Mobility Discharge Goal: Wheel 150 feet)</li> </ul> <p><b>Action:</b>  Make appropriate corrections to the record and resubmit.  Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5062a	Fatal	Invalid Skip Pattern: If GG0170H1 is equal to 0, then items GG0170I through GG0170P must be equal to blank (^).	<p><b>Cause:</b> The value submitted in item GG0170H1 (Mobility: Does the patient walk?) is not consistent with one or more values submitted in Admission Performance and/or Discharge Goal items GG0170I (Mobility: Walk 10 feet) through GG0170P (Mobility: Picking up object).</p> <ul style="list-style-type: none"> <li>• IF GG0170H1 is 0, THEN all Admission Performance and Discharge Goal items GG0170I through GG0170P must be blank (^).</li> <li>• IF GG0170H1 is 1, THEN all Admission Performance items GG0170I1 through GG0170P1 must be blank (^) and all Discharge Goal items GG0170I2 through GG0170P2 must not be blank (^).</li> <li>• IF GG0170H1 is 2, THEN all Admission Performance and Discharge Goal items GG0170I through GG0170P must not be blank (^).</li> </ul> <p><b>Tip:</b> This is a skip pattern. If GG0170H1 is 0, then skip to GG0170Q1 (Does the patient use a wheelchair/scooter?).</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5062b	Fatal	Invalid Skip Pattern: If GG0170H1 is equal to 1, then Admission Performance items GG0170I1 through GG0170P1 must be equal to blank (^) and Discharge Goal items GG0170I2 through GG0170P2 must not be equal to blank (^).	See error number -5062a
-5062c	Fatal	Invalid Skip Pattern: If GG0170H1 is equal to 2, then items GG0170I through GG0170P must not be equal to blank (^).	See error number -5062a

Error ID	Sev	Error Message	Error Description
-5063	Fatal	Inconsistent GG0170 Items: If GG0170H1 is equal to dash (-), then items GG0170I through GG0170P must be equal to dash (-).	<p><b>Cause:</b> The value submitted in item GG0170H1 (Mobility: Does the patient walk?) is not consistent with one or more values submitted in Admission Performance and/or Discharge Goal items GG0170I (Mobility: Walk 10 feet) through GG0170P (Mobility: Picking up object).</p> <ul style="list-style-type: none"> <li>• IF GG0170H1 is a dash (-), THEN all Admission Performance and Discharge Goal items GG0170I through GG0170P must be a dash (-).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5064a	Fatal	Invalid Skip Pattern: If GG0170H3 is equal to 0, then items GG0170I3 through GG0170P3 must be equal to blank (^).	<p><b>Cause:</b> The value submitted in item GG0170H3 (Mobility: Does the patient walk?) is not consistent with one or more values submitted in Discharge Performance items GG0170I3 (Mobility: Walk 10 feet) through GG0170P3 (Mobility: Picking up object).</p> <ul style="list-style-type: none"> <li>• IF GG0170H3 is 0, THEN all Discharge Performance items GG0170I3 through GG0170P3 must be blank (^).</li> <li>• IF GG0170H3 is 2, THEN all Discharge Performance items GG0170I3 through GG0170P3 must not be blank (^).</li> <li>• IF GG0170H3 is a dash (-), THEN all Discharge Performance items GG0170I3 through GG0170P3 must be a dash (-).</li> </ul> <p><b>Tip:</b> This is a skip pattern. If GG0170H3 is 0, then skip to GG0170Q3 (Does the patient use a wheelchair/scooter?).</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5064b	Fatal	Invalid Skip Pattern: If GG0170H3 is equal to 2, then items GG0170I3 through GG0170P3 must not be equal to blank (^).	See error number -5064a
-5064c	Fatal	Invalid Skip Pattern: If GG0170H3 is equal to dash (-), then items GG0170I3 through GG0170P3 must be equal to dash (-).	See error number -5064a

Error ID	Sev	Error Message	Error Description
-5065a	Fatal	Invalid Skip Pattern: If GG0170Q1 is equal to 0, then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2 and GG0170SS1 must be equal to blank (^).	<p><b>Cause:</b> The value submitted in item GG0170Q1 (Mobility: Does the patient use a wheelchair/scooter?) is not consistent with one or more values submitted in Admission Performance and/or Discharge Goal items GG0170R1 (Mobility: Wheel 50 feet with two turns) through GG0170SS1 (Mobility: Indicate the type of wheelchair/scooter used).</p> <ul style="list-style-type: none"> <li>• IF GG0170Q1 is 0, THEN all Admission Performance and Discharge Goal items GG0170R1 through GG0170SS1 must be blank (^).</li> <li>• IF GG0170Q1 is 1, THEN all Admission Performance and Discharge Goal items GG0170R1 through GG0170SS1 must not be blank (^).</li> <li>• IF GG0170Q1 is a dash (-), THEN all Admission Performance and Discharge Goal items GG0170R1 through GG0170SS1 must be a dash (-).</li> </ul> <p><b>Tip:</b> This is a skip pattern. If GG0170Q1 is 0, then skip to H0350 (Bladder Continence).</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5065b	Fatal	Invalid Skip Pattern: If GG0170Q1 is equal to 1, then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2 and GG0170SS1 must not be equal to blank (^).	See error number -5065a
-5065c	Fatal	Invalid Skip Pattern: If GG0170Q1 is equal to dash (-), then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2 and GG0170SS1 must be equal to dash (-).	See error number -5065a

Error ID	Sev	Error Message	Error Description
-5066a	Fatal	Invalid Skip Pattern: If GG0170Q3 is equal to 0 or blank (^), then items GG0170R3, GG0170RR3, GG0170S3 and GG0170SS3 must be equal to blank (^).	<p><b>Cause:</b> The value submitted in item GG0170Q3 (Mobility: Does the patient use a wheelchair/scooter?) is not consistent with one or more values submitted in Discharge Performance items GG0170R3 (Mobility: Wheel 50 feet with two turns) through GG0170SS3 (Mobility: Indicate the type of wheelchair/scooter used).</p> <ul style="list-style-type: none"> <li>• IF GG0170Q3 is 0 or blank (^), THEN all Discharge Performance items GG0170R3 through GG0170SS3 must be blank (^).</li> <li>• IF GG0170Q3 is 1, THEN all Discharge Performance items GG0170R3 through GG0170SS3 must not be blank (^).</li> <li>• IF GG0170Q3 is a dash (-), THEN all Discharge Performance items GG0170R3 through GG0170SS3 must be a dash (-).</li> </ul> <p><b>Tip:</b> This is a skip pattern. If GG0170Q3 is 0, then skip to J1800 (Any Falls Since Admission).</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5066b	Fatal	Invalid Skip Pattern: If GG0170Q3 is equal to 1, then items GG0170R3, GG0170RR3, GG0170S3 and GG0170SS3 must not be equal to blank (^).	See error number -5066a
-5066c	Fatal	Invalid Skip Pattern: If GG0170Q3 is equal to dash (-), then items GG0170R3, GG0170RR3, GG0170S3 and GG0170SS3 must be equal to dash (-).	See error number -5066a

Error ID	Sev	Error Message	Error Description
-5067a	Fatal	Inconsistent None of the Above Value: If I7900 is equal to 1, then items I0900 and I2900 must equal 0.	<p><b>Cause:</b> The value submitted in item I7900 (None of the above) is not consistent with one or more values submitted in related Comorbidities and Co-existing Conditions items I09001 (Peripheral Vascular Disease or Peripheral Arterial Disease) and I2900 (Diabetes Mellitus).</p> <ul style="list-style-type: none"> <li>• IF I7900 is checked, THEN items I0900 and I2900 must be unchecked.</li> <li>• IF I7900 is unchecked, THEN at least 1 item I0900 or I2900 must not be unchecked.</li> <li>• IF I7900 is a dash (-), THEN either item I0900 or I2900 must be a dash (-) and the other item must be unchecked or a dash (-).</li> </ul> <p><b>Tip:</b> A checked response displays as a "1" on the validation report. An unchecked response displays as a "0" on the validation report.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the current data specifications to identify the acceptable values for this item.</p>
-5067b	Fatal	Inconsistent None of the Above Value: If I7900 is equal to 0, then at least 1 item I0900 or I2900 must not equal 0.	See error number -5067a
-5067c	Fatal	Inconsistent None of the Above Value: If I7900 is equal to dash (-), then either item I0900 or I2900 must equal dash (-) and the other item must equal 0 or dash (-).	See error number -5067a
-5068a	Fatal	Inconsistent J Items: If J1800 is equal to 0, then all active items from J1900A through J1900C must equal blank (^).	<p><b>Cause:</b> The value submitted in this item is not consistent with the value submitted in item J1800 (Any Falls Since Admission).</p> <ul style="list-style-type: none"> <li>• IF J1800 is 0, THEN all active items J1900A through J1900C (Number of Falls Since Admission) must be blank (^).</li> <li>• IF J1800 is 1, THEN all active items J1900A through J1900C must not be blank (^).</li> <li>• IF J1800 is a dash (-), THEN all active items J1900A through J1900C must be a dash (-).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the current data specifications to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5068b	Fatal	Inconsistent J Items: If J1800 is equal to 1, then all active items from J1900A through J1900C must not equal blank (^) and at least one of these items must equal dash (-), 1, or 2.	See error number -5068a
-5068c	Fatal	Inconsistent J Items: If J1800 is equal to dash (-), then all active items from J1900A through J1900C must equal dash (-).	See error number -5068a
-5069	Fatal	Inconsistent M Items: If M0300B1-Discharge is equal to 1-9, then M0300B2-Discharge must be equal to dash (-), OR must be equal to 0-9 and less than or equal to M0300B1-Discharge.	<p><b>Cause:</b> The value submitted in item M0300B2-Discharge (Number of Stage 2 pressure ulcers present upon admission) is not consistent with the value submitted in item M0300B1 (Number of Stage 2 pressure ulcers).</p> <ul style="list-style-type: none"> <li>IF M0300B1-Discharge is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300B2-Discharge must be a dash (-), OR M0300B2-Discharge must be 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300B1-Discharge.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the current data specifications to identify the acceptable values for this item.</p>
-5070	Fatal	Inconsistent M Items: If M0300C1-Discharge is equal to 1-9, then M0300C2-Discharge must be equal to dash (-), OR must be equal to 0-9 and less than or equal to M0300C1-Discharge.	<p><b>Cause:</b> The value submitted in item M0300C2-Discharge (Number of Stage 3 pressure ulcers present upon admission) is not consistent with the value submitted in item M0300C1-Discharge (Number of Stage 3 pressure ulcers).</p> <ul style="list-style-type: none"> <li>IF M0300C1-Discharge is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300C2-Discharge must be a dash, OR M0300C2-Discharge must be 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300C1-Discharge.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the current data specifications to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5071	Fatal	Inconsistent M Items: If M0300D1-Discharge is equal to 1-9, then M0300D2-Discharge must be equal to dash (-), OR must be equal to 0-9 and less than or equal to M0300D1-Discharge.	<p><b>Cause:</b> The value submitted in item M0300D2-Discharge (Number of Stage 4 pressure ulcers present upon admission) is not consistent with the value submitted in item M0300D1-Discharge (Number of Stage 4 pressure ulcers).</p> <ul style="list-style-type: none"> <li>• IF M0300D1-Discharge is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300D2-Discharge must be a dash (-), OR M0300D2-Discharge must be 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300D1-Discharge.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the current data specifications to identify the acceptable values for this item.</p>
-5072	Fatal	Inconsistent M Items: If M0300E1-Discharge is equal to 1-9, then M0300E2-Discharge must be equal to dash (-), OR must be equal to 0-9 and less than or equal to M0300E1-Discharge.	<p><b>Cause:</b> The value submitted in item M0300E2-Discharge (Number of unstageable [non-removable dressing] pressure ulcers present upon admission) is not consistent with the value submitted in item M0300E1-Discharge (Number of unstageable [non-removable dressing] pressure ulcers).</p> <ul style="list-style-type: none"> <li>• IF M0300E1-Discharge is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300E2-Discharge must be a dash, OR M0300E2-Discharge must be 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300E1-Discharge.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the current data specifications to identify the acceptable values for this item.</p>
-5073	Fatal	Inconsistent M Items: If M0300F1-Discharge is equal to 1-9, then M0300F2-Discharge must be equal to dash (-), OR must be equal to 0-9 and less than or equal to M0300F1-Discharge.	<p><b>Cause:</b> The value submitted in item M0300F2-Discharge (Number of unstageable [slough/eschar] pressure ulcers present upon admission) is not consistent with the value submitted in item M0300F1-Discharge (Number of unstageable [slough/eschar] pressure ulcers).</p> <ul style="list-style-type: none"> <li>• IF M0300F1-Discharge is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300F2-Discharge must be a dash (-), OR M0300F2-Discharge must be 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300F1-Discharge.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the current data specifications to identify the acceptable values for this item.</p>



Error ID	Sev	Error Message	Error Description
-5074a	Fatal	Inconsistent M Items: If M0300B1-Discharge is equal to 0-9, then M0800A, if active, must be equal to 0-9 or dash (-).	<p><b>Cause:</b> The value submitted in item M0800A (Worsening: Stage 2) is not consistent with the value submitted in item M0300B1-Discharge (Number of Stage 2 pressure ulcers).</p> <ul style="list-style-type: none"> <li>• IF M0300B1-Discharge is 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0800A, if active, must be less than or equal to 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, or a dash (-).</li> <li>• IF M0300B1-Discharge is a dash (-), THEN M0800A, if active, must be a dash (-).</li> <li>• IF M0300B1-Discharge is 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 AND M0800A is 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0800A must be less than or equal to M0300B1-Discharge.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the current data specifications to identify the acceptable values for this item.</p>
-5074b	Fatal	Inconsistent M Items: If M0300B1-Discharge is equal to dash (-), then M0800A, if active, must be equal to dash (-).	See error number -5074a
-5074c	Fatal	Inconsistent M Items: If M0300B1-Discharge is equal to 0-9 and M0800A is equal to 0-9, then M0800A must be less than or equal to M0300B1-Discharge.	See error number -5074a
-5075a	Fatal	Inconsistent M Items: If M0300C1-Discharge is equal to 0-9, then M0800B, if active, must be equal to 0-9 or dash (-).	<p><b>Cause:</b> The value submitted in item M0800B-Discharge (Worsening: Stage 3) is not consistent with the value submitted in item M0300C1-Discharge (Number of Stage 3 pressure ulcers).</p> <ul style="list-style-type: none"> <li>• IF M0300C1-Discharge is 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0800B, if active, must be less than or equal to 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, or a dash (-).</li> <li>• IF M0300C1-Discharge is a dash (-), THEN M0800B, if active, must be a dash (-).</li> <li>• IF M0300C1-Discharge is 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 AND M0800B is 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0800B-Discharge must be less than or equal to M0300C1-Discharge.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the current data specifications to identify the acceptable values for this item.</p>
-5075b	Fatal	Inconsistent M Items: If M0300C1-Discharge is equal to dash (-), then M0800B, if active, must be equal to dash (-).	See error number -5075a

Error ID	Sev	Error Message	Error Description
-5075c	Fatal	Inconsistent M Items: If M0300C1-Discharge is equal to 0-9 and M0800B is equal to 0-9, then M0800B must be less than or equal to M0300C1-Discharge.	See error number -5075a
-5076a	Fatal	Inconsistent M Items: If M0300D1-Discharge is equal to 0-9, then M0800C, if active, must be equal to 0-9 or dash (-).	<p><b>Cause:</b> The value submitted in item M0800C (Worsening: Stage 4) is not consistent with the value submitted in item M0300D1-Discharge (Number of Stage 4 pressure ulcers).</p> <ul style="list-style-type: none"> <li>• IF M0300D1-Discharge is 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0800C, if active, must be less than or equal to 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, or a dash (-).</li> <li>• IF M0300D1-Discharge is a dash (-), THEN M0800C, if active, must be a dash (-).</li> <li>• IF M0300D1-Discharge is 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 AND M0800C is 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0800C must be less than or equal to M0300D1-Discharge.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the current data specifications to identify the acceptable values for this item.</p>
-5076b	Fatal	Inconsistent M Items: If M0300D1-Discharge is equal to dash (-), then M0800C, if active, must be equal to dash (-).	See error number -5076a
-5076c	Fatal	Inconsistent M Items: If M0300D1-Discharge is equal to 0-9 and M0800C is equal to 0-9, then M0800C must be less than or equal to M0300D1-Discharge.	See error number -5076a
-5077a	Fatal	Inconsistent M Items: If M0300E1-Discharge is equal to 0-9, then M0800D, if active, must be equal to 0-9 or dash (-).	<p><b>Cause:</b> The value submitted in item M0800D (Worsening: Unstageable – Non-removable dressing) is not consistent with the value submitted in item M0300E1-Discharge (Number of unstageable pressure ulcers due to non-removable dressing/device).</p> <ul style="list-style-type: none"> <li>• IF M0300E1-Discharge is 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0800D, if active, must be less than or equal to 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, or a dash (-).</li> <li>• IF M0300E1-Discharge is a dash (-), THEN M0800D, if active, must be a dash (-).</li> <li>• IF M0300E1-Discharge is 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 AND M0800D is 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0800D must be less than or equal to M0300E1-Discharge.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the current data specifications to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5077b	Fatal	Inconsistent M Items: If M0300E1-Discharge is equal to dash (-), then M0800D, if active, must be equal to dash (-).	See error number -5077a
-5077c	Fatal	Inconsistent M Items: If M0300E1-Discharge is equal to 0-9 and M0800D is equal to 0-9, then M0800D must be less than or equal to M0300E1-Discharge.	See error number -5077a
-5078a	Fatal	Inconsistent M Items: If M0300F1-Discharge is equal to 0-9, then M0800E, if active, must be equal to 0-9 or dash (-).	<p><b>Cause:</b> The value submitted in item M0800E (Worsening: Unstageable – Slough and/or eschar) is not consistent with the value submitted in item M0300F1-Discharge (Number of unstageable pressure ulcers due to slough and/or eschar).</p> <ul style="list-style-type: none"> <li>• IF M0300F1-Discharge is 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0800E, if active, must be less than or equal to 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, or a dash (-).</li> <li>• IF M0300F1-Discharge is a dash (-), THEN M0800E, if active, must be a dash (-).</li> <li>• IF M0300F1-Discharge is 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 AND M0800E is 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0800E must be less than or equal to M0300F1-Discharge.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the current data specifications to identify the acceptable values for this item.</p>
-5078b	Fatal	Inconsistent M Items: If M0300F1-Discharge is equal to dash (-), then M0800E, if active, must be equal to dash (-).	See error number -5078a
-5078c	Fatal	Inconsistent M Items: If M0300F1-Discharge is equal to 0-9 and M0800E is equal to 0-9, then M0800E must be less than or equal to M0300F1-Discharge.	See error number -5078a

Error ID	Sev	Error Message	Error Description
-5079a	Fatal	Inconsistent M Items: If M0300G1-Discharge is equal to 0-9, then M0800F, if active, must be equal to 0-9 or dash (-).	<p><b>Cause:</b> The value submitted in item M0800F (Worsening: Unstageable – Deep tissue injury) is not consistent with the value submitted in item M0300G1-Discharge (Number of unstageable pressure ulcers with suspected deep tissue injury).</p> <ul style="list-style-type: none"> <li>• IF M0300G1-Discharge is 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0800F, if active, must be less than or equal to 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, or a dash (-).</li> <li>• IF M0300G1-Discharge is a dash (-), THEN M0800F, if active, must be a dash (-).</li> <li>• IF M0300G1-Discharge is 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 AND M0800F is 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0800F must be less than or equal to M0300G1-Discharge.</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the current data specifications to identify the acceptable values for this item.</p>
-5079b	Fatal	Inconsistent M Items: If M0300G1-Discharge is equal to dash (-), then M0800F, if active, must be equal to dash (-).	See error number -5079a
-5079c	Fatal	Inconsistent M Items: If M0300G1-Discharge is equal to 0-9 and M0800F is equal to 0-9, then M0800F must be less than or equal to M0300G1-Discharge.	See error number -5079a
-5080	Fatal	Invalid Skip Pattern: If Unhealed PUs/Injuries-Discharge (M0210) equals 0, then all Current Number of Unhealed PUs/Injuries at Each Stage-Discharge items (M0300A1 through M0300G2) must equal Skipped (^).	<p><b>Cause:</b> The values submitted for Current Number of Unhealed PUs/Injuries at Each Stage-Discharge items (M0300A1 through M0300G2) and Unhealed PUs/Injuries-Discharge (M0210) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Unhealed PUs/Injuries-Discharge is 0, THEN all Current Number of Unhealed PUs/Injuries at Each Stage-Discharge items must be skipped (^).</li> </ul> <p><b>Tip:</b> This is a skip pattern. If Unhealed PUs-Discharge is 0, then skip to Medication Intervention (N2005) or the next active item.</p> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5081	Fatal	Inconsistent M0210/M0300: If Unhealed PUs/Injuries-Discharge (M0210) equals 1, then all Current Number of Unhealed PUs/Injuries at Each Stage-Discharge items (M0300A1 through M0300G1) must not equal No Information/skipped (^).	<p><b>Cause:</b> The values submitted for Current Number of Unhealed PUs/Injuries at Each Stage-Discharge items (M0300A1 through M0300G1) and Unhealed PUs-Discharge (M0210) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF Unhealed PUs/Injuries-Discharge is 1, THEN all Current Number of unhealed PUs at Each Stage-Discharge items must not be No Information/skipped (^).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item</p>
-5082a	Fatal	Inconsistent N2001/N2003: If Drug Regimen Review (N2001) equals 0 or 9, then Medication Follow-up (N2003) must equal blank (^).	<p><b>Cause:</b> The values submitted for Medication Follow-up (N2003) and Drug Regimen Review (N2001) are not consistent.</p> <ul style="list-style-type: none"> <li>• IF N2001 is 0 or 9, THEN N2003 must be blank (^).</li> <li>• IF N2001 is 1, THEN N2003 must not be blank (^).</li> <li>• IF N2001 is a dash (-), THEN N2003 must be a dash (-).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5082b	Fatal	Inconsistent N2001/N2003: If Drug Regimen Review (N2001) equals 1, then Medication Follow-up (N2003) must not equal blank (^).	See error number -5082a
-5082c	Fatal	Inconsistent N2001/N2003: If Drug Regimen Review (N2001) equals dash (-), then Medication Follow-up (N2003) must equal dash (-).	See error number -5082a

Error ID	Sev	Error Message	Error Description
-5083	Fatal	Invalid Skip Pattern: If a stay is incomplete, Self-Care Discharge Performance items (GG0130A3 through GG0130H3) and Mobility Discharge Performance items (GG0170A3 through GG0170I3, GG0170M3, GG0170P3, and GG0170Q3) must equal blank (^).	<p><b>Cause:</b> The values submitted for one or more Self-Care Discharge Performance items (GG0130A3 through GG0130H3) and/or Mobility Discharge Performance items (GG0170A3 through GG0170I3, GG0170M3, GG0170P3, and GG0170Q3) are invalid for an incomplete stay.</p> <ul style="list-style-type: none"> <li>• IF the stay is incomplete, THEN Self-Care Discharge Performance and Mobility Discharge Performance items must be blank (^).</li> </ul> <p><b>Definition:</b> <u>Incomplete Stay</u> – The values submitted for one or more of the following items identify an incomplete stay:</p> <ul style="list-style-type: none"> <li>• Discharge to Living Setting (44D) is 02, 63, 65, or 66</li> <li>• Patient Discharged Against Medical Advice (41) is 1</li> <li>• Patient Discharged Alive (44C) is 0</li> <li>• Discharge Date (40) minus Admission Date (12) is less than 3 days</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5084a	Fatal	Inconsistent GG0170 Items: If GG0170I1 is equal to 07, 09, 10, or 88, then GG0170J1, GG0170K1 and GG0170L1 must equal blank (^).	<p><b>Cause:</b> The value submitted in item GG0170I1 (Mobility: Walk 10 feet) is not consistent with one or more values submitted in Admission Performance items GG0170J1 (Mobility: Walk 50 feet with two turns), GG0170K1 (Mobility: Walk 150 feet), and GG0170L1 (Mobility: Walking 10 feet on uneven surfaces).</p> <ul style="list-style-type: none"> <li>• IF GG0170I1 is 07, 09, 10, or 88, THEN Admission Performance items GG0170J1, GG0170K1, and GG0170L1 must be blank (^).</li> <li>• IF GG0170I1 is 01, 02, 03, 04, 05, or 06, THEN Admission Performance items GG0170J1, GG0170K1, and GG0170L1 must not be blank (^).</li> <li>• IF GG0170I1 is a dash (-), THEN Admission Performance items GG0170J1, GG0170K1, and GG0170L1 must be a dash (-).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5084b	Fatal	Inconsistent GG0170 Items: If GG0170I1 is equal to 01, 02, 03, 04, 05 or 06, then GG0170J1, GG0170K1 and GG0170L1 must not equal blank (^).	See error number -5084a
-5084c	Fatal	Inconsistent GG0170 Items: If GG0170I1 is equal to dash (-), then GG0170J1, GG0170K1 and GG0170L1 must equal dash (-).	See error number -5084a
-5085a	Fatal	Inconsistent GG0170 Items: If GG0170I3 is equal to 07, 09, 10, 88 or blank (^), then GG0170J3, GG0170K3 and GG0170L3 must equal blank (^).	<p><b>Cause:</b> The value submitted in item GG0170I3 (Mobility: Walk 10 feet) is not consistent with one or more values submitted in Discharge Goal items GG0170J3 (Mobility: Walk 50 feet with two turns), GG0170K3 (Mobility: Walk 150 feet), and GG0170L3 (Mobility: Walking 10 feet on uneven surfaces).</p> <ul style="list-style-type: none"> <li>• IF GG0170I3 is 07, 09, 10, or 88, THEN Discharge Goal items GG0170J3, GG0170K3, and GG0170L3 must be blank (^).</li> <li>• IF GG0170I3 is 01, 02, 03, 04, 05, or 06, THEN Discharge Goal items GG0170J3, GG0170K3, and GG0170L3 must not be blank (^).</li> <li>• IF GG0170I3 is a dash (-), THEN Discharge Goal items GG0170J3, GG0170K3, and GG0170L3 must be a dash (-).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5085b	Fatal	Inconsistent GG0170 Items: If GG0170I3 is equal to 01, 02, 03, 04, 05 or 06, then GG0170J3, GG0170K3 and GG0170L3 must not equal blank (^).	See error number -5085a
-5085c	Fatal	Inconsistent GG0170 Items: If GG0170I3 is equal to dash (-), then GG0170J3, GG0170K3 and GG0170L3 must equal dash (-).	See error number -5085a

Error ID	Sev	Error Message	Error Description
-5086a	Fatal	Inconsistent GG0170 Items: If GG0170M1 is equal to 07, 09, 10, or 88, then GG0170N1 must equal blank (^).	<p><b>Cause:</b> The value submitted in item GG0170M1 (Mobility: 1 step (curb)) is not consistent with the value submitted in Admission Performance item GG0170N1 (Mobility: 4 steps).</p> <ul style="list-style-type: none"> <li>• IF GG0170M1 is 07, 09, 10, or 88, THEN Admission Performance item GG0170N1 must be blank (^).</li> <li>• IF GG0170M1 is 01, 02, 03, 04, 05, or 06, THEN Admission Performance item GG0170N1 must not be blank (^).</li> <li>• IF GG0170M1 is a dash (-), THEN Admission Performance item GG0170N1 must be a dash (-).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5086b	Fatal	Inconsistent GG0170 Items: If GG0170M1 is equal to 01, 02, 03, 04, 05 or 06, then GG0170N1 must not equal blank (^).	See error number -5086a
-5086c	Fatal	Inconsistent GG0170 Items: If GG0170M1 is equal to dash (-), then GG0170N1 must equal dash (-).	See error number -5086a
-5087a	Fatal	Inconsistent GG0170 Items: If GG0170M3 is equal to 07, 09, 10, 88 or blank (^), then GG0170N3 must equal blank (^).	<p><b>Cause:</b> The value submitted in item GG0170M3 (Mobility: 1 step (curb)) is not consistent with the value submitted in Discharge Goal item GG0170N3 (Mobility: 4 steps).</p> <ul style="list-style-type: none"> <li>• IF GG0170M3 is 07, 09, 10, or 88, THEN Discharge Goal item GG0170N3 must be blank (^).</li> <li>• IF GG0170M3 is 01, 02, 03, 04, 05, or 06, THEN Discharge Goal item GG0170N3 must not be blank (^).</li> <li>• IF GG0170M3 is a dash (-), THEN Discharge Goal item GG0170N3 must be a dash (-).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>



Error ID	Sev	Error Message	Error Description
-5087b	Fatal	Inconsistent GG0170 Items: If GG0170M3 is equal to 01, 02, 03, 04, 05 or 06, then GG0170N3 must not equal blank (^).	See error number -5087a
-5087c	Fatal	Inconsistent GG0170 Items: If GG0170M3 is equal to dash (-), then GG0170N3 must equal dash (-).	See error number -5087a
-5088a	Fatal	Inconsistent GG0170 Items: If GG0170N1 is equal to 07, 09, 10, 88 or blank (^), then GG0170O1 must equal blank (^).	<p><b>Cause:</b> The value submitted in item GG0170N1 (Mobility:4 steps) is not consistent with the value submitted in Admission Performance item GG0170O1 (Mobility: 12 steps).</p> <ul style="list-style-type: none"> <li>• IF GG0170N1 is 07, 09, 10, or 88, THEN Admission Performance item GG0170O1 must be blank (^).</li> <li>• IF GG0170N1 is 01, 02, 03, 04, 05, or 06, THEN Admission Performance item GG0170O1 must not be blank (^).</li> <li>• IF GG0170N1 is a dash (-), THEN Admission Performance item GG0170O1 must be a dash (-).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5088b	Fatal	Inconsistent GG0170 Items: If GG0170N1 is equal to 01, 02, 03, 04, 05 or 06, then GG0170O1 must not equal blank (^).	See error number -5088a
-5088c	Fatal	Inconsistent GG0170 Items: If GG0170N1 is equal to dash (-), then GG0170O1 must equal dash (-).	See error number -5088a

Error ID	Sev	Error Message	Error Description
-5089a	Fatal	Inconsistent GG0170 Items: If GG0170N3 is equal to 07, 09, 10, 88 or blank (^), then GG0170O3 must equal blank (^).	<p><b>Cause:</b> The value submitted in item GG0170N3 (Mobility:4 steps) is not consistent with the value submitted in Discharge Goal item GG0170O3 (Mobility: 12 steps).</p> <ul style="list-style-type: none"> <li>• IF GG0170N3 is 07, 09, 10, or 88, THEN Discharge Goal item GG0170O3 must be blank (^).</li> <li>• IF GG0170N3 is 01, 02, 03, 04, 05, or 06, THEN Discharge Goal item GG0170O3 must not be blank (^).</li> <li>• IF GG0170N3 is a dash (-), THEN Discharge Goal item GG0170O3 must be a dash (-).</li> </ul> <p><b>Action:</b> Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5089b	Fatal	Inconsistent GG0170 Items: If GG0170N3 is equal to 01, 02, 03, 04, 05 or 06, then GG0170O3 must not equal blank (^).	See error number -5089a
-5089c	Fatal	Inconsistent GG0170 Items: If GG0170N3 is equal to dash (-), then GG0170O3 must equal dash (-).	See error number -5089a